

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved	Antimony Total
1	ELMB1	Number	9	9	9	8	7	32	32	26	26	23	15	14
2	ELMB1	non-detect(%)	0	0	0	0	0	0	0	0	73.07692308	26.08695652	100	100
3	ELMB1	Min	7.17	1044	6.45	522	6.93	940	2	0.25	0.005	0.023	5.00E-04	5.00E-04
4	ELMB1	5th %ile	7.458	1050.4	6.47	524.8	6.939	961	2.55	0.265	0.005	0.025	5.00E-04	5.00E-04
5	ELMB1	20th %ile	8.616	1063.6	6.578	531.2	6.968	1000	4.32	0.36	0.005	0.025	5.00E-04	5.00E-04
6	ELMB1	Median	9.81	1108	6.73	547	7.27	1005	6	0.4	0.0165	2.7	5.00E-04	5.00E-04
7	ELMB1	80th %ile	13.96	1211.4	6.796	605.4	7.762	1098	10	0.45	0.025	6.168	0.0015	9.00E-04
8	ELMB1	95th %ile	14.152	1277.4	7.24	638.3	7.77	1146	14	0.5	0.025	25.54	0.0015	0.0015
9	ELMB1	Max	14.2	1279	7.48	639	7.77	1200	20	0.5	0.029	54.1	0.0015	0.0015
10	ELMB3	Number	9	9	9	8	7	11	11	6	11	11	11	11
11	ELMB3	non-detect(%)	0	0	0	0	0	0	0	0	45.45454545	0	90.90909091	72.72727273
12	ELMB3	Min	11.17	1803	6.78	907	7.34	1470	80	3.8	0.005	0.01	5.00E-04	5.00E-04
13	ELMB3	5th %ile	11.326	1825.8	6.876	915.05	7.403	1575	81	3.8	0.005	0.035	5.00E-04	5.00E-04
14	ELMB3	20th %ile	11.884	1860	7.116	930.4	7.566	1750	84	3.8	0.005	0.22	5.00E-04	5.00E-04
15	ELMB3	Median	12.47	1883	7.27	941	7.66	1760	87	3.85	0.01	0.85	5.00E-04	5.00E-04
16	ELMB3	80th %ile	15.806	2032.6	7.444	1009	8.21	1850	92	4	0.03	2.01	5.00E-04	0.001
17	ELMB3	95th %ile	16.034	2166.4	7.678	1086.6	8.322	1865	126	4.3	0.04	17	0.00175	0.0025
18	ELMB3	Max	16.09	2218	7.83	1109	8.37	1880	132	4.4	0.05	17	0.003	0.003
19	ELMB2	Number	6	0	0	0	0	20	21	19	13	12	4	3
20	ELMB2	non-detect(%)	0	NA	NA	NA	NA	0	4.761905	0	61.53846154	50	100	100
21	ELMB2	Min	0	Inf	Inf	Inf	Inf	250	0	0.11	0.007	0.024	0.0015	0.0015
22	ELMB2	5th %ile	0	NA	NA	NA	NA	943.5	1	0.533	0.0076	0.02455	0.0015	0.0015
23	ELMB2	20th %ile	0	NA	NA	NA	NA	1000	36	0.664	0.0194	0.025	0.0015	0.0015
24	ELMB2	Median	0	NA	NA	NA	NA	1100	54	0.97	0.025	0.025	0.0015	0.0015
25	ELMB2	80th %ile	0	NA	NA	NA	NA	1200	63	1.1	0.025	3.2	0.0015	0.0015
26	ELMB2	95th %ile	0	NA	NA	NA	NA	1200	66	1.11	0.0538	6.3	0.0015	0.0015
27	ELMB2	Max	0	#NAME?	#NAME?	#NAME?	#NAME?	1200	72	1.2	0.097	7.4	0.0015	0.0015
28	RDMB1	Number	8	8	8	7	7	26	26	21	20	18	12	11
29	RDMB1	non-detect(%)	0	0	0	0	0	0	3.846154	0	70	27.77777778	16.66666667	9.090909091
30	RDMB1	Min	19.42	15.6	6.71	659	6.98	900	2.5	0.41	0.005	0.013	0.001	0.0015
31	RDMB1	5th %ile	19.623	471.09	6.717	673.1	6.986	1000	6	0.47	0.005	0.0232	0.001275	0.00175
32	RDMB1	20th %ile	20.12	1318.2	6.774	709	7.01	1200	9	0.5	0.005	0.025	0.0016	0.003
33	RDMB1	Median	20.87	1426	6.895	751	7.26	1300	15.5	0.72	0.0105	8.3	0.002	0.006
34	RDMB1	80th %ile	22.656	1510.8	6.946	944	7.818	1360	24	0.9	0.025	39.06	0.0046	0.007
35	RDMB1	95th %ile	23.431	1818.3	7.3855	5724.1	7.84	1415	65	1	0.051	85.2	0.01085	0.0095
36	RDMB1	Max	23.62	1980	7.62	7753	7.84	1440	79	1	0.07	85.2	0.018	0.012
37	RDMB2	Number	7	7	7	6	6	25	26	21	20	19	14	13
38	RDMB2	non-detect(%)	0	0	0	0	0	0	0	0	70	42.10526316	7.142857143	0
39	RDMB2	Min	0	1081	7.04	540	7.45	55	4	0.09	0.0025	0.0025	0.0015	0.011
40	RDMB2	5th %ile	0	1094.8	7.082	545.75	7.4675	808	5	0.6	0.004875	0.00475	0.008325	0.011
41	RDMB2	20th %ile	0	1135.6	7.182	563	7.52	910	6	0.77	0.005	0.008	0.013	0.0134
42	RDMB2	Median	0	1232	7.2	638.5	8.045	990	7.5	0.87	0.0065	0.02	0.013	0.014
43	RDMB2	80th %ile	0	1397.8	7.264	709	8.2	1190	12	1.1	0.025	0.025	0.0188	0.0206
44	RDMB2	95th %ile	0	1760	8.159	892	8.2375	1274	13	1.2	0.02675	0.0255	0.0275	0.0286
45	RDMB2	Max	0	1907	8.54	953	8.25	1300	13	1.3	0.06	0.03	0.034	0.034
46	RDMB3	Number	8	8	8	7	7	10	10	6	10	10	10	10
47	RDMB3	non-detect(%)	0	0	0	0	0	0	0	0	60	10	80	40
48	RDMB3	Min	8.06	1099	6.78	553	7.14	1030	11	1.6	0.005	0.005	5.00E-04	5.00E-04

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved	Antimony Total
49	RDMB3	5th %ile	8.179	1101.1	6.801	555.4	7.14	1030	12.35	1.6	0.005	0.06125	5.00E-04	5.00E-04
50	RDMB3	20th %ile	8.604	1112.2	6.876	563.2	7.17	1070	14	1.6	0.005	0.154	5.00E-04	5.00E-04
51	RDMB3	Median	9.245	1149	7	577	7.76	1105	31	1.65	0.005	0.325	5.00E-04	0.001
52	RDMB3	80th %ile	10.5	1230.6	7.114	627.8	8.172	1144	41.2	1.8	0.022	0.57	6.00E-04	0.002
53	RDMB3	95th %ile	11.0835	1426.55	7.2345	719.1	8.18	1160	44.75	1.8	0.0355	1.0315	0.0065	0.0075
54	RDMB3	Max	11.29	1506	7.28	753	8.18	1160	47	1.8	0.04	1.18	0.011	0.012
55	PSMB4	Number	5	0	0	0	0	22	23	21	15	13	5	4
56	PSMB4	non-detect(%)	0	NA	NA	NA	NA	0	0	0	66.66666667	38.46153846	100	100
57	PSMB4	Min	0	Inf	Inf	Inf	Inf	3100	0	0.6	0.009	0.01	0.0015	0.0015
58	PSMB4	5th %ile	0	NA	NA	NA	NA	3205	1230	0.63	0.0104	0.019	0.0015	0.0015
59	PSMB4	20th %ile	0	NA	NA	NA	NA	3320	1500	1.1	0.0178	0.025	0.0015	0.0015
60	PSMB4	Median	0	NA	NA	NA	NA	3600	1600	1.8	0.025	0.03	0.0015	0.0015
61	PSMB4	80th %ile	0	NA	NA	NA	NA	3980	1900	2	0.025	1.82	0.0015	0.0015
62	PSMB4	95th %ile	0	NA	NA	NA	NA	4100	2000	2.2	0.025	3.44	0.0015	0.0015
63	PSMB4	Max	0	#NAME?	#NAME?	#NAME?	#NAME?	4200	2300	3.4	0.025	4.4	0.0015	0.0015
64	PSMB5	Number	6	3	3	2	0	8	8	5	5	8	4	4
65	PSMB5	non-detect(%)	0	0	0	0	NA	0	0	0	80	25	100	100
66	PSMB5	Min	0	1333	7.03	718	Inf	560	25	0.99	0.005	0.023	5.00E-04	5.00E-04
67	PSMB5	5th %ile	0	1343.3	7.062	720.75	NA	602	25.7	1.052	0.005	0.0237	5.00E-04	5.00E-04
68	PSMB5	20th %ile	0	1374.2	7.158	729	NA	684	27.4	1.238	0.005	0.025	5.00E-04	5.00E-04
69	PSMB5	Median	8.865	1436	7.35	745.5	NA	1040	54	1.5	0.005	1.065	5.00E-04	5.00E-04
70	PSMB5	80th %ile	9.98	1502.6	7.386	762	NA	1398	266.6	1.66	0.0122	2.878	9.00E-04	9.00E-04
71	PSMB5	95th %ile	10.37	1535.9	7.404	770.25	NA	1482.5	270.25	1.84	0.0218	4.045	0.00135	0.00135
72	PSMB5	Max	10.5	1547	7.41	773	#NAME?	1500	272	1.9	0.025	4.43	0.0015	0.0015
73	PSMB9	Number	5	4	4	4	5	12	14	11	11	13	10	9
74	PSMB9	non-detect(%)	0	0	0	0	0	0	0	0	27.27272727	7.692307692	100	88.88888889
75	PSMB9	Min	0	2400	7.08	1400	7.34	170	0	1.5	0.005	0.025	5.00E-04	5.00E-04
76	PSMB9	5th %ile	1.54	3094.5	7.113	1717.1	7.46	681.5	44.85	1.7	0.005	0.025	5.00E-04	5.00E-04
77	PSMB9	20th %ile	6.16	5178	7.212	2668.4	7.82	1300	130	1.9	0.005	2.72	5.00E-04	5.00E-04
78	PSMB9	Median	8.47	7709.5	7.34	3854.5	7.96	2500	405	3.4	0.011	5.93	0.001	0.001
79	PSMB9	80th %ile	10.28	8557	7.724	4277.8	8.26	7570	1998	11.9	0.021	9.418	0.0015	0.0015
80	PSMB9	95th %ile	11.12	8746	8.111	4370.95	8.26	7900	2175.5	12.45	0.026	13.9	0.0015	0.0015
81	PSMB9	Max	11.4	8809	8.24	4402	8.26	7900	2260	13	0.027	16	0.0015	0.0015
82	PSMB3	Number	5	3	3	2	1	2	4	1	3	2	2	2
83	PSMB3	non-detect(%)	0	0	0	0	0	0	0	0	66.66666667	0	100	100
84	PSMB3	Min	0	1454	6.81	727	8.02	1300	0	7.5	0.005	6.62	5.00E-04	5.00E-04
85	PSMB3	5th %ile	0	1608.6	6.816	766.3	8.02	1356	4.95	7.5	0.005	6.979	5.00E-04	5.00E-04
86	PSMB3	20th %ile	0	2072.4	6.834	884.2	8.02	1524	19.8	7.5	0.005	8.056	5.00E-04	5.00E-04
87	PSMB3	Median	8.25	3000	6.87	1120	8.02	1860	43.5	7.5	0.005	10.21	5.00E-04	5.00E-04
88	PSMB3	80th %ile	13.666	3015.6	7.548	1355.8	8.02	2196	59.6	7.5	4.502	12.364	5.00E-04	5.00E-04
89	PSMB3	95th %ile	13.804	3023.4	7.887	1473.7	8.02	2364	65.9	7.5	6.7505	13.441	5.00E-04	5.00E-04
90	PSMB3	Max	13.85	3026	8	1513	8.02	2420	68	7.5	7.5	13.8	5.00E-04	5.00E-04
91	PSMB11	Number	8	10	10	9	7	20	22	16	18	21	15	14
92	PSMB11	non-detect(%)	0	0	0	0	0	0	0	0	5.555555556	14.28571429	100	100
93	PSMB11	Min	4.2	2013	6.57	1007	7.29	160	11	0.17	0.01	0.025	5.00E-04	5.00E-04
94	PSMB11	5th %ile	5.012	2150.7	6.66	1068.2	7.311	1338	973.4	1.4675	0.0185	0.025	5.00E-04	5.00E-04
95	PSMB11	20th %ile	6.924	2831.8	6.93	1352	7.364	2280	1100	2.5	0.027	0.22	5.00E-04	5.00E-04
96	PSMB11	Median	9.525	3525.5	7.1	1730	7.47	3290	1555	3.45	0.045	1.52	5.00E-04	5.00E-04

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved	Antimony Total
97	PSMB11	80th %ile	13.616	3610.8	7.38	1806.8	7.948	3700	1940	6.5	2.2	10	0.0015	0.0015
98	PSMB11	95th %ile	15.401	4596.3	7.8815	2643.2	7.95	4200	2100	6.525	5.09	14	0.0015	0.0015
99	PSMB11	Max	16.08	5400	8.03	3200	7.95	4200	3300	6.6	5.6	20.2	0.0015	0.0015
100	PSMB10	Number	8	11	11	8	6	18	23	15	18	19	13	12
101	PSMB10	non-detect(%)	0	0	0	0	0	0	0	0	22.22222222	15.78947368	100	83.33333333
102	PSMB10	Min	0	1400	6.24	840	7.11	620	0	0.76	0.005	0.021	5.00E-04	5.00E-04
103	PSMB10	5th %ile	2.177	1683.5	6.505	890.4	7.1125	1113	64	1.208	0.005	0.0246	5.00E-04	5.00E-04
104	PSMB10	20th %ile	6.456	1992	6.85	988.8	7.12	1200	151.2	1.86	0.0094	0.058	5.00E-04	5.00E-04
105	PSMB10	Median	7.645	2227	7	1044	7.515	1810	265	3.5	0.0145	0.77	5.00E-04	0.00075
106	PSMB10	80th %ile	9.072	3200	7.8	1525.6	7.97	1970	444	4.26	0.023	3.42	0.0015	0.0015
107	PSMB10	95th %ile	12.11	3650	8.08	1833.8	7.97	2480	597.6	4.6	4.17	4.767	0.0015	0.0015
108	PSMB10	Max	13.3	3699	8.36	1852	7.97	3500	1260	4.6	7.4	5.37	0.0015	0.0015
109	PSMB2	Number	8	15	15	9	7	33	40	28	32	24	15	14
110	PSMB2	non-detect(%)	0	0	0	0	0	0	0	0	59.375	25	93.33333333	100
111	PSMB2	Min	2.9	2500	6.6	1279	7.01	470	68	0.88	0.005	0.005	5.00E-04	5.00E-04
112	PSMB2	5th %ile	3.145	2540.6	6.628	1291.4	7.073	728	130	1.635	0.005	0.00755	5.00E-04	5.00E-04
113	PSMB2	20th %ile	3.84	2600	6.834	1312.4	7.248	1540	328	3.74	0.005	0.025	5.00E-04	5.00E-04
114	PSMB2	Median	5.295	2700	7.2	1385	7.55	2000	748	4.2	0.025	0.11	5.00E-04	5.00E-04
115	PSMB2	80th %ile	6.236	2886.4	7.7	1854	7.954	2750	900	4.7	0.025	0.36	0.0015	0.0015
116	PSMB2	95th %ile	6.895	4481.6	7.8	2247	7.98	3440	1007.5	5.03	4.74	1.1865	0.00195	0.0015
117	PSMB2	Max	7	4511	7.8	2255	7.98	3920	1560	5.7	7.6	1.3	0.003	0.0015
118	PSMB6	Number	8	15	15	9	7	20	27	16	22	21	15	14
119	PSMB6	non-detect(%)	0	0	0	0	0	0	0	45.45454545	14.28571429	100	92.85714286	
120	PSMB6	Min	4	2000	6.73	1111	7.16	230	5	0.46	0.005	0.019	5.00E-04	5.00E-04
121	PSMB6	5th %ile	4.252	2154.7	6.919	1114.2	7.193	543.5	93	0.865	0.005	0.025	5.00E-04	5.00E-04
122	PSMB6	20th %ile	4.776	2244.4	7.026	1122	7.282	1620	426	1.1	0.005	0.03	5.00E-04	5.00E-04
123	PSMB6	Median	4.9	2631	7.4	1200	7.47	2170	711	1.8	0.0125	2.26	5.00E-04	5.00E-04
124	PSMB6	80th %ile	6.18	2940	7.8	1327.8	7.91	2426	808.8	2.7	1.525	7.01	0.0015	0.0015
125	PSMB6	95th %ile	6.66	3000	7.83	1417.2	8.064	2802	914	3.025	3.295	8.9	0.0015	0.0015
126	PSMB6	Max	6.8	3000	7.9	1464	8.13	3600	980	3.4	8.4	17.6	0.0015	0.0015
127	PSMB7	Number	8	14	14	8	7	19	26	15	22	19	15	14
128	PSMB7	non-detect(%)	0	0	0	0	0	0	13.33333	27.27272727	10.52631579	20	0	0
129	PSMB7	Min	2.4	1493	6.79	748	7.22	250	5.7	0.05	0.005	0.012	5.00E-04	0.001
130	PSMB7	5th %ile	3.3275	1497.55	6.8485	764.1	7.262	286	6.15	0.05	0.005	0.0237	5.00E-04	0.001
131	PSMB7	20th %ile	5.526	1552.2	7	798.4	7.384	754	33	0.832	0.0058	0.1116	0.001	0.002
132	PSMB7	Median	7.56	1600	7.135	811	7.48	1540	160	2	0.0155	0.48	0.0015	0.003
133	PSMB7	80th %ile	8.612	1620	7.84	870	7.86	1620	213	4.2	0.0964	1.09	0.004	0.0044
134	PSMB7	95th %ile	9.211	1710.95	7.935	909.75	7.94	1655	219.75	4.36	1.0885	2.473	0.0059	0.00735
135	PSMB7	Max	9.26	1826	8	915	7.94	1700	227	4.5	1.5	5.92	0.008	0.008
136	PSMB8	Number	8	15	15	9	7	19	25	15	23	20	15	14
137	PSMB8	non-detect(%)	0	0	0	0	0	0	0	26.08695652	15	86.66666667	78.57142857	
138	PSMB8	Min	8.02	1200	6.51	621	7.09	130	2.7	0.13	0.005	0.025	5.00E-04	5.00E-04
139	PSMB8	5th %ile	8.293	1228.7	6.678	624.2	7.144	148	3	0.137	0.005	0.025	5.00E-04	5.00E-04
140	PSMB8	20th %ile	9.04	1267	6.912	636.2	7.282	200	3.24	0.14	0.0058	0.118	5.00E-04	5.00E-04
141	PSMB8	Median	10.815	1300	7.32	652	7.38	1200	59	0.2	0.014	0.745	5.00E-04	0.001
142	PSMB8	80th %ile	12.064	1304.6	7.7	753.8	8.34	1306	73.2	1.92	0.0636	3.77	0.0015	0.0017
143	PSMB8	95th %ile	12.679	1501.2	7.83	777.2	8.35	1794	76	4.01	0.702	8.709	0.00585	0.002
144	PSMB8	Max	12.7	1546	7.9	780	8.35	5880	81	8.7	0.77	14.2	0.016	0.002

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved	Antimony Total
145	PSMB12	Number	8	15	15	9	7	20	27	16	23	21	15	14
146	PSMB12	non-detect(%)	0	0	0	0	0	0	0	0	17.39130435	14.28571429	93.33333333	100
147	PSMB12	Min	7.54	1579	6.64	790	7.32	170	6	0.18	0.005	0.016	5.00E-04	5.00E-04
148	PSMB12	5th %ile	7.8095	1579.7	6.899	790	7.371	208	10	0.2025	0.005	0.025	5.00E-04	5.00E-04
149	PSMB12	20th %ile	8.654	1597.4	7.226	792.4	7.514	356	30.2	0.22	0.01	0.052	5.00E-04	5.00E-04
150	PSMB12	Median	9.7	1600	7.9	804	7.65	1520	115	0.995	0.017	0.75	5.00E-04	5.00E-04
151	PSMB12	80th %ile	11.452	1636.8	8	938.8	8.17	1582	130	3.5	0.106	1.94	0.0015	0.0015
152	PSMB12	95th %ile	12.003	1859.9	8.157	1003	8.184	1705	181	3.85	0.426	5.52	0.0015	0.0015
153	PSMB12	Max	12.08	2009	8.29	1005	8.19	1800	280	4	0.65	15.7	0.0015	0.0015
154	PSMB13	Number	8	14	14	8	7	19	25	15	20	19	15	14
155	PSMB13	non-detect(%)	0	0	0	0	0	0	0	0	35	15.78947368	100	100
156	PSMB13	Min	3.04	1541	6.42	771	7.08	170	6	0.14	0.005	0.021	5.00E-04	5.00E-04
157	PSMB13	5th %ile	3.376	1579.35	6.615	786.75	7.161	260	18.8	0.182	0.005	0.0246	5.00E-04	5.00E-04
158	PSMB13	20th %ile	4.52	1669.8	6.874	828.8	7.354	1584	117.6	0.764	0.005	0.0286	5.00E-04	5.00E-04
159	PSMB13	Median	5.775	1800	7.24	894.5	7.49	1690	167	1.4	0.011	0.18	5.00E-04	5.00E-04
160	PSMB13	80th %ile	8.428	1804.8	7.84	903.6	8.04	2000	286	1.52	0.0602	1.202	0.0015	0.0015
161	PSMB13	95th %ile	10.0455	1872.05	7.9	963.15	8.152	2530	532	2.25	0.7305	11.59	0.0015	0.0015
162	PSMB13	Max	10.07	1991	7.9	995	8.2	2800	960	2.6	0.74	24.1	0.0015	0.0015
163	PSMB14	Number	8	15	15	9	7	21	28	17	23	21	15	14
164	PSMB14	non-detect(%)	0	0	0	0	0	0	0	0	34.7826087	14.28571429	80	85.71428571
165	PSMB14	Min	2.94	2700	6.33	1461	6.95	260	678	0.45	0.005	0.021	5.00E-04	5.00E-04
166	PSMB14	5th %ile	3.2095	2855.4	6.533	1462.6	7.007	1100	891	1.13	0.005	0.023	5.00E-04	5.00E-04
167	PSMB14	20th %ile	3.866	2985.4	6.706	1726	7.176	2700	1140	1.62	0.005	0.025	5.00E-04	5.00E-04
168	PSMB14	Median	5.19	3600	7.14	2943	7.36	3900	1500	2.2	0.014	0.3	0.0015	5.00E-04
169	PSMB14	80th %ile	7.736	6533.6	7.62	3816.8	7.95	6030	2820	2.9	1.416	0.58	0.0016	0.0015
170	PSMB14	95th %ile	9.624	8033.1	7.7	4214.6	7.985	7360	4094.5	3	17.95	7.5	0.0023	0.0034
171	PSMB14	Max	9.96	8948	7.7	4477	8	7540	4230	3	21	7.66	0.003	0.006
172	PSMB1	Number	8	15	15	9	7	33	39	28	31	23	14	13
173	PSMB1	non-detect(%)	0	0	0	0	0	0	0	0	58.06451613	21.73913043	100	100
174	PSMB1	Min	12.97	2335	6.27	1167	6.85	76	3	0.14	0.005	0.007	5.00E-04	5.00E-04
175	PSMB1	5th %ile	13.0085	2343.4	6.508	1169.8	6.88	178	8.8	0.3705	0.005	0.0205	5.00E-04	5.00E-04
176	PSMB1	20th %ile	13.22	2402.6	6.666	1177	6.99	1480	406	0.866	0.005	0.025	5.00E-04	5.00E-04
177	PSMB1	Median	13.635	2534	6.9	1243	7.17	1900	540	1.2	0.025	0.53	5.00E-04	5.00E-04
178	PSMB1	80th %ile	15.224	2600	7.42	1409	7.706	2276	862.4	2.18	0.028	4.712	0.0015	0.0015
179	PSMB1	95th %ile	15.951	2806	7.63	1476.8	7.73	2484	911	2.6	2.6	10.186	0.0015	0.0015
180	PSMB1	Max	16	2883	7.7	1500	7.73	2500	942	2.8	9.2	22.9	0.0015	0.0015
181	PSMB13	Number	0	0	0	0	0	2	2	2	2	2	0	0
182	PSMB13	non-detect(%)	NA	NA	NA	NA	NA	0	0	0	100	0	NA	NA
183	PSMB13	Min	Inf	Inf	Inf	Inf	Inf	210	9.3	0.16	0.025	0.13	Inf	Inf
184	PSMB13	5th %ile	NA	NA	NA	NA	NA	210	9.3	0.161	0.025	0.131	NA	NA
185	PSMB13	20th %ile	NA	NA	NA	NA	NA	210	9.3	0.164	0.025	0.134	NA	NA
186	PSMB13	Median	NA	NA	NA	NA	NA	210	9.3	0.17	0.025	0.14	NA	NA
187	PSMB13	80th %ile	NA	NA	NA	NA	NA	210	9.3	0.176	0.025	0.146	NA	NA
188	PSMB13	95th %ile	NA	NA	NA	NA	NA	210	9.3	0.179	0.025	0.149	NA	NA
189	PSMB13	Max	#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	210	9.3	0.18	0.025	0.15	#NAME?	#NAME?

	sites	statistic	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved	Cobalt Total	Copper Dissolved
1	ELMB1	Number	26	23	11	11	25	22	17	17	25
2	ELMB1	non-detect(%)	34.61538462	26.08695652	90.90909091	100	96	68.18181818	58.82352941	17.64705882	96
3	ELMB1	Min	0.001	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
4	ELMB1	5th %ile	0.001125	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	9.00E-04	5.00E-04
5	ELMB1	20th %ile	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0026	5.00E-04
6	ELMB1	Median	0.002	0.005	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.006	5.00E-04
7	ELMB1	80th %ile	0.004	0.0072	5.00E-04	5.00E-04	5.00E-05	1.00E-04	0.0018	0.0114	5.00E-04
8	ELMB1	95th %ile	0.005	0.0108	315.00025	5.00E-04	5.00E-05	3.00E-04	0.0026	0.0542	5.00E-04
9	ELMB1	Max	0.006	0.016	630	5.00E-04	2.00E-04	4.00E-04	0.003	0.071	0.001
10	ELMB3	Number	11	11	11	11	11	11	11	11	11
11	ELMB3	non-detect(%)	0	9.090909091	90.90909091	100	100	100	100	54.54545455	100
12	ELMB3	Min	0.016	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
13	ELMB3	5th %ile	0.016	0.00575	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
14	ELMB3	20th %ile	0.017	0.015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
15	ELMB3	Median	0.022	0.025	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
16	ELMB3	80th %ile	0.023	0.027	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.004	5.00E-04
17	ELMB3	95th %ile	0.0235	10.5145	405.50025	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.01	5.00E-04
18	ELMB3	Max	0.024	21	811	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.01	5.00E-04
19	ELMB2	Number	13	13	0	0	13	12	6	6	13
20	ELMB2	non-detect(%)	23.07692308	15.38461538	NA	NA	92.30769231	41.66666667	83.33333333	16.66666667	92.30769231
21	ELMB2	Min	0.0015	0	Inf	Inf	5.00E-05	5.00E-05	5.00E-04	0.002	5.00E-04
22	ELMB2	5th %ile	0.0015	9.00E-04	NA	NA	5.00E-05	5.00E-05	5.00E-04	0.002	5.00E-04
23	ELMB2	20th %ile	0.0021	0.0021	NA	NA	5.00E-05	5.00E-05	5.00E-04	0.002	5.00E-04
24	ELMB2	Median	0.005	0.004	NA	NA	5.00E-05	1.00E-04	0.00075	0.00425	5.00E-04
25	ELMB2	80th %ile	0.0072	0.0072	NA	NA	5.00E-05	0.00018	0.0025	0.006	5.00E-04
26	ELMB2	95th %ile	0.0094	0.0084	NA	NA	0.00011	0.000245	0.0025	0.006	0.0015
27	ELMB2	Max	0.01	0.009	#NAME?	#NAME?	2.00E-04	3.00E-04	0.0025	0.006	0.003
28	RDMB1	Number	20	18	10	10	19	18	12	12	20
29	RDMB1	non-detect(%)	0	5.555555556	90	40	78.94736842	5.555555556	41.66666667	8.333333333	10
30	RDMB1	Min	0.022	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
31	RDMB1	5th %ile	0.02485	0.004475	5.00E-04	5.00E-04	5.00E-05	9.25E-05	5.00E-04	0.002975	5.00E-04
32	RDMB1	20th %ile	0.031	0.0382	5.00E-04	5.00E-04	5.00E-05	2.00E-04	5.00E-04	0.013	0.002
33	RDMB1	Median	0.0505	0.1265	5.00E-04	0.0015	5.00E-05	7.00E-04	0.002	0.053	0.003
34	RDMB1	80th %ile	0.0762	0.3408	5.00E-04	0.0022	7.00E-05	0.00118	0.0048	0.096	0.0042
35	RDMB1	95th %ile	0.4925	0.4056	430.100225	0.003	0.00023	0.0037	0.00545	0.209	0.0078
36	RDMB1	Max	0.54	0.46	782	0.003	5.00E-04	0.0037	0.006	0.209	0.023
37	RDMB2	Number	20	20	9	9	20	20	15	14	19
38	RDMB2	non-detect(%)	0	0	88.88888889	100	45	15	93.33333333	85.71428571	42.10526316
39	RDMB2	Min	0.04	0.011	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
40	RDMB2	5th %ile	0.31075	0.01385	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
41	RDMB2	20th %ile	0.3334	0.3462	5.00E-04	5.00E-04	5.00E-05	1.00E-04	5.00E-04	5.00E-04	5.00E-04
42	RDMB2	Median	0.4035	0.392	5.00E-04	5.00E-04	1.00E-04	0.00065	5.00E-04	5.00E-04	0.001
43	RDMB2	80th %ile	0.54	0.582	5.00E-04	5.00E-04	0.0017	0.00238	5.00E-04	5.00E-04	0.004
44	RDMB2	95th %ile	0.601	0.62	351.6002	5.00E-04	0.002965	0.003255	0.00145	0.001	0.0112
45	RDMB2	Max	0.62	0.62	586	5.00E-04	0.0042	0.0043	0.0025	0.001	0.013
46	RDMB3	Number	10	10	10	10	10	10	10	10	10
47	RDMB3	non-detect(%)	0	0	90	100	100	100	80	70	100
48	RDMB3	Min	0.028	0.002	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04

	sites	statistic	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved	Cobalt Total	Copper Dissolved
49	RDMB3	5th %ile	0.0289	0.00875	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
50	RDMB3	20th %ile	0.03	0.0282	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
51	RDMB3	Median	0.035	0.037	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
52	RDMB3	80th %ile	0.038	0.0414	5.00E-04	5.00E-04	5.00E-05	5.00E-05	6.00E-04	0.002	5.00E-04
53	RDMB3	95th %ile	0.05945	0.0628	344.300225	5.00E-04	5.00E-05	5.00E-05	0.00265	0.0031	5.00E-04
54	RDMB3	Max	0.077	0.079	626	5.00E-04	5.00E-05	5.00E-05	0.004	0.004	5.00E-04
55	PSMB4	Number	15	13	0	0	15	13	7	7	15
56	PSMB4	non-detect(%)	33.33333333	23.07692308	NA	NA	60	30.76923077	0	0	66.66666667
57	PSMB4	Min	0.0015	0.0025	Inf	Inf	5.00E-05	5.00E-05	0.048	0.054	5.00E-04
58	PSMB4	5th %ile	0.0015	0.0028	NA	NA	5.00E-05	5.00E-05	0.0498	0.0546	5.00E-04
59	PSMB4	20th %ile	0.0015	0.003	NA	NA	5.00E-05	1.00E-04	0.0566	0.0588	5.00E-04
60	PSMB4	Median	0.003	0.006	NA	NA	5.00E-05	1.00E-04	0.07	0.072	5.00E-04
61	PSMB4	80th %ile	0.005	0.0116	NA	NA	0.00012	2.00E-04	0.0916	0.0814	0.001
62	PSMB4	95th %ile	0.005	0.0188	NA	NA	0.00023	0.00032	0.1061	0.0928	0.0036
63	PSMB4	Max	0.005	0.026	#NAME?	#NAME?	3.00E-04	5.00E-04	0.11	0.097	0.005
64	PSMB5	Number	5	8	3	3	5	8	5	6	5
65	PSMB5	non-detect(%)	20	25	100	100	100	75	20	16.66666667	100
66	PSMB5	Min	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0025	5.00E-04
67	PSMB5	5th %ile	0.0016	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.003125	5.00E-04
68	PSMB5	20th %ile	0.0019	0.0021	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0025	0.005	5.00E-04
69	PSMB5	Median	0.004	0.0045	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.003	0.0055	5.00E-04
70	PSMB5	80th %ile	0.004	0.0066	5.00E-04	5.00E-04	5.00E-05	8.00E-05	0.0034	0.007	5.00E-04
71	PSMB5	95th %ile	0.004	0.0083	5.00E-04	5.00E-04	5.00E-05	0.000165	0.0046	0.00925	5.00E-04
72	PSMB5	Max	0.004	0.009	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.005	0.01	5.00E-04
73	PSMB9	Number	11	13	5	5	11	13	11	12	11
74	PSMB9	non-detect(%)	0	15.38461538	100	80	72.72727273	7.692307692	0	8.333333333	63.63636364
75	PSMB9	Min	0.004	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.0025	5.00E-04
76	PSMB9	5th %ile	0.004	0.0011	5.00E-04	5.00E-04	5.00E-05	8.00E-05	0.0015	0.004975	5.00E-04
77	PSMB9	20th %ile	0.004	0.0042	5.00E-04	5.00E-04	5.00E-05	1.00E-04	0.004	0.007	5.00E-04
78	PSMB9	Median	0.006	0.012	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.006	0.011	5.00E-04
79	PSMB9	80th %ile	0.012	0.0264	5.00E-04	6.00E-04	2.00E-04	0.00036	0.035	0.0458	0.001
80	PSMB9	95th %ile	0.021	0.051	5.00E-04	9.00E-04	2.00E-04	0.00186	0.0375	0.04745	0.001
81	PSMB9	Max	0.023	0.054	5.00E-04	0.001	2.00E-04	0.0033	0.038	0.048	0.001
82	PSMB3	Number	3	2	3	2	3	2	3	2	3
83	PSMB3	non-detect(%)	0	0	100	100	66.66666667	0	0	0	33.33333333
84	PSMB3	Min	0.008	0.011	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.003	0.012	5.00E-04
85	PSMB3	5th %ile	0.008	0.0133	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.0031	0.01245	0.00065
86	PSMB3	20th %ile	0.008	0.0202	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.0034	0.0138	0.0011
87	PSMB3	Median	0.008	0.034	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.004	0.0165	0.002
88	PSMB3	80th %ile	0.0272	0.0478	5.00E-04	5.00E-04	0.00014	2.00E-04	0.0112	0.0192	0.0134
89	PSMB3	95th %ile	0.0368	0.0547	5.00E-04	5.00E-04	0.000185	2.00E-04	0.0148	0.02055	0.0191
90	PSMB3	Max	0.04	0.057	5.00E-04	5.00E-04	2.00E-04	2.00E-04	0.016	0.021	0.021
91	PSMB11	Number	18	21	11	10	18	21	18	18	18
92	PSMB11	non-detect(%)	61.11111111	19.04761905	90.90909091	100	5.555555556	0	27.77777778	16.66666667	16.66666667
93	PSMB11	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-04	5.00E-05	1.00E-04	5.00E-04	5.00E-04	5.00E-04
94	PSMB11	5th %ile	5.00E-04	0.001	5.00E-04	5.00E-04	9.25E-05	1.00E-04	5.00E-04	0.000925	5.00E-04
95	PSMB11	20th %ile	5.00E-04	0.002	5.00E-04	5.00E-04	0.00354	3.00E-04	0.001	0.0022	0.001
96	PSMB11	Median	0.001	0.005	5.00E-04	5.00E-04	0.00615	0.0046	0.00275	0.003	0.003

	sites	statistic	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved	Cobalt Total	Copper Dissolved
97	PSMB11	80th %ile	0.0156	0.018	5.00E-04	5.00E-04	0.34	0.35	0.16	0.166	0.226
98	PSMB11	95th %ile	0.023	0.026	191.50025	5.00E-04	0.5265	0.38	0.1845	0.1845	0.2875
99	PSMB11	Max	0.023	0.028	383	5.00E-04	1.3	0.4	0.21	0.21	0.33
100	PSMB10	Number	18	19	11	8	18	19	18	16	18
101	PSMB10	non-detect(%)	22.22222222	10.52631579	72.72727273	87.5	72.22222222	73.68421053	0	0	66.66666667
102	PSMB10	Min	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.002	5.00E-04
103	PSMB10	5th %ile	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0027	0.00725	5.00E-04
104	PSMB10	20th %ile	0.0017	0.0036	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.006	0.01	5.00E-04
105	PSMB10	Median	0.005	0.008	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.007	0.0165	5.00E-04
106	PSMB10	80th %ile	0.016	0.0268	0.25	5.00E-04	0.00016	1.00E-04	0.019	0.031	0.0038
107	PSMB10	95th %ile	0.07755	0.0632	424.5	0.000825	0.000405	0.00021	0.0444	0.039	0.02485
108	PSMB10	Max	0.092	0.065	848	0.001	0.001	3.00E-04	0.075	0.048	0.075
109	PSMB2	Number	33	24	16	10	32	24	23	18	33
110	PSMB2	non-detect(%)	15.15151515	12.5	81.25	100	71.875	58.33333333	34.7826087	22.22222222	45.45454545
111	PSMB2	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
112	PSMB2	5th %ile	0.001	0.001075	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
113	PSMB2	20th %ile	0.0015	0.002	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0014	5.00E-04
114	PSMB2	Median	0.003	0.003	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.002	0.001
115	PSMB2	80th %ile	0.008	0.0048	5.00E-04	5.00E-04	1.00E-04	0.00014	0.0036	0.0025	0.005
116	PSMB2	95th %ile	0.0108	0.0077	168.625	5.00E-04	0.000445	0.000285	0.0058	0.00415	0.0174
117	PSMB2	Max	0.019	0.009	673	5.00E-04	5.00E-04	5.00E-04	0.006	0.005	0.022
118	PSMB6	Number	23	21	16	10	22	21	23	18	22
119	PSMB6	non-detect(%)	8.695652174	9.523809524	75	90	81.81818182	47.61904762	4.347826087	0	63.63636364
120	PSMB6	Min	0.0015	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.002	5.00E-04
121	PSMB6	5th %ile	0.00155	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0272	0.03855	5.00E-04
122	PSMB6	20th %ile	0.003	0.005	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0444	0.061	5.00E-04
123	PSMB6	Median	0.005	0.011	5.00E-04	5.00E-04	5.00E-05	1.00E-04	0.07	0.082	5.00E-04
124	PSMB6	80th %ile	0.008	0.016	7.00E-04	5.00E-04	5.00E-05	1.00E-04	0.146	0.109	0.0028
125	PSMB6	95th %ile	0.0204	0.035	134.725	0.001875	1.00E-04	3.00E-04	0.168	0.153	0.0145
126	PSMB6	Max	0.028	0.052	535	0.003	8.00E-04	3.00E-04	0.18	0.17	0.03
127	PSMB7	Number	23	20	16	10	23	20	23	18	22
128	PSMB7	non-detect(%)	4.347826087	5	81.25	90	60.86956522	45	13.04347826	16.66666667	50
129	PSMB7	Min	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
130	PSMB7	5th %ile	0.0042	0.001975	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.00055	0.000925	5.00E-04
131	PSMB7	20th %ile	0.0878	0.0142	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.002	0.002	5.00E-04
132	PSMB7	Median	0.19	0.135	5.00E-04	5.00E-04	5.00E-05	0.00015	0.006	0.0095	0.00075
133	PSMB7	80th %ile	0.298	0.3546	5.00E-04	5.00E-04	0.00026	0.00062	0.0116	0.013	0.002
134	PSMB7	95th %ile	0.417	0.6415	156.125	0.000775	7.00E-04	0.00154	0.0288	0.0344	0.0125
135	PSMB7	Max	0.45	0.67	623	0.001	7.00E-04	0.0023	0.037	0.15	0.031
136	PSMB8	Number	23	20	16	10	23	20	23	17	23
137	PSMB8	non-detect(%)	26.08695652	45	81.25	90	43.47826087	0	26.08695652	17.64705882	39.13043478
138	PSMB8	Min	0.0015	5.00E-04	5.00E-04	5.00E-04	5.00E-05	1.00E-04	5.00E-04	5.00E-04	5.00E-04
139	PSMB8	5th %ile	0.0015	0.00145	5.00E-04	5.00E-04	5.00E-05	1.00E-04	5.00E-04	5.00E-04	5.00E-04
140	PSMB8	20th %ile	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	3.00E-04	0.0011	0.0012	5.00E-04
141	PSMB8	Median	0.012	0.0085	5.00E-04	5.00E-04	1.00E-04	4.00E-04	0.004	0.004	0.001
142	PSMB8	80th %ile	0.0146	0.018	5.00E-04	5.00E-04	2.00E-04	0.00092	0.006	0.017	0.0036
143	PSMB8	95th %ile	0.0197	0.021	166.125	0.000775	0.00039	0.0049	0.012	0.024	0.0119
144	PSMB8	Max	0.029	0.021	663	0.001	5.00E-04	0.0049	0.032	0.04	0.019

	sites	statistic	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved	Cobalt Total	Copper Dissolved
145	PSMB12	Number	22	20	16	10	22	21	23	18	22
146	PSMB12	non-detect(%)	13.63636364	30	81.25	90	86.36363636	66.66666667	17.39130435	16.66666667	59.09090909
147	PSMB12	Min	0.0015	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
148	PSMB12	5th %ile	0.0015	0.00145	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.000925	5.00E-04
149	PSMB12	20th %ile	0.004	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.0025	5.00E-04
150	PSMB12	Median	0.0065	0.0065	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.002	0.004	5.00E-04
151	PSMB12	80th %ile	0.0078	0.009	5.00E-04	5.00E-04	5.00E-05	2.00E-04	0.004	0.0046	0.001
152	PSMB12	95th %ile	0.01	0.0151	170.875	0.000775	1.00E-04	7.00E-04	0.0078	0.0146	0.002
153	PSMB12	Max	0.011	0.017	682	0.001	2.00E-04	0.0014	0.008	0.018	0.004
154	PSMB13	Number	21	19	16	10	21	19	21	16	21
155	PSMB13	non-detect(%)	4.761904762	21.05263158	81.25	100	66.66666667	52.63157895	33.33333333	12.5	57.14285714
156	PSMB13	Min	0.0015	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	5.00E-04
157	PSMB13	5th %ile	0.004	0.0014	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.000875	5.00E-04
158	PSMB13	20th %ile	0.004	0.0024	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.002	5.00E-04
159	PSMB13	Median	0.007	0.007	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.002	0.003	5.00E-04
160	PSMB13	80th %ile	0.009	0.01	5.00E-04	5.00E-04	1.00E-04	1.00E-04	0.003	0.004	0.002
161	PSMB13	95th %ile	0.014	0.0197	193.875	5.00E-04	2.00E-04	0.00024	0.007	0.01025	0.006
162	PSMB13	Max	0.016	0.035	774	5.00E-04	3.00E-04	6.00E-04	0.007	0.02	0.009
163	PSMB14	Number	23	22	16	10	23	22	23	19	23
164	PSMB14	non-detect(%)	8.695652174	18.18181818	81.25	100	47.82608696	36.36363636	0	0	69.56521739
165	PSMB14	Min	0.001	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.007	0.01	5.00E-04
166	PSMB14	5th %ile	0.0015	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0111	0.01	5.00E-04
167	PSMB14	20th %ile	0.003	0.003	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0134	0.0152	5.00E-04
168	PSMB14	Median	0.006	0.004	5.00E-04	5.00E-04	1.00E-04	1.00E-04	0.018	0.029	5.00E-04
169	PSMB14	80th %ile	0.0226	0.007	5.00E-04	5.00E-04	0.00032	3.00E-04	0.037	0.0556	0.0062
170	PSMB14	95th %ile	0.0444	0.0823	137.875	5.00E-04	0.00233	0.000595	0.0754	0.0846	0.0556
171	PSMB14	Max	0.068	0.091	550	5.00E-04	0.0035	9.00E-04	0.082	0.099	0.087
172	PSMB1	Number	32	23	15	9	31	23	23	17	32
173	PSMB1	non-detect(%)	65.625	34.7826087	80	100	45.16129032	34.7826087	0	0	46.875
174	PSMB1	Min	5.00E-04	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.012	0.023	5.00E-04
175	PSMB1	5th %ile	5.00E-04	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0144	0.0238	5.00E-04
176	PSMB1	20th %ile	5.00E-04	0.0015	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0224	0.026	5.00E-04
177	PSMB1	Median	0.0015	0.003	5.00E-04	5.00E-04	1.00E-04	1.00E-04	0.027	0.029	0.001
178	PSMB1	80th %ile	0.003	0.004	0.0504	5.00E-04	5.00E-04	6.00E-04	0.0336	0.0358	0.0038
179	PSMB1	95th %ile	0.00445	0.0088	123.35	5.00E-04	0.00055	0.00079	0.04	0.0468	0.017
180	PSMB1	Max	0.006	0.018	410	5.00E-04	6.00E-04	0.0021	0.041	0.07	0.019
181	PSMB13	Number	2	2	0	0	2	2	2	2	2
182	PSMB13	non-detect(%)	100	100	NA	NA	100	100	100	100	0
183	PSMB13	Min	0.0015	0.0015	Inf	Inf	5.00E-05	5.00E-05	0.0025	0.0025	0.001
184	PSMB13	5th %ile	0.0015	0.0015	NA	NA	5.00E-05	5.00E-05	0.0025	0.0025	0.001
185	PSMB13	20th %ile	0.0015	0.0015	NA	NA	5.00E-05	5.00E-05	0.0025	0.0025	0.001
186	PSMB13	Median	0.0015	0.0015	NA	NA	5.00E-05	5.00E-05	0.0025	0.0025	0.001
187	PSMB13	80th %ile	0.0015	0.0015	NA	NA	5.00E-05	5.00E-05	0.0025	0.0025	0.001
188	PSMB13	95th %ile	0.0015	0.0015	NA	NA	5.00E-05	5.00E-05	0.0025	0.0025	0.001
189	PSMB13	Max	0.0015	0.0015	#NAME?	#NAME?	5.00E-05	5.00E-05	0.0025	0.0025	0.001

	sites	statistic	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total	Selenium Dissolved	Selenium Total
1	ELMB1	Number	23	26	23	17	29	17	17	14	14
2	ELMB1	non-detect(%)	26.08695652	100	26.0869565	94.11764706	82.75862069	82.35294118	5.882352941	100	100
3	ELMB1	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
4	ELMB1	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
5	ELMB1	20th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.002	0.0036	0.0036
6	ELMB1	Median	0.005	5.00E-04	0.004	5.00E-05	5.00E-05	5.00E-04	0.004	0.005	0.005
7	ELMB1	80th %ile	0.009	5.00E-04	0.006	5.00E-05	1.00E-04	9.00E-04	0.007	0.005	0.005
8	ELMB1	95th %ile	0.0687	5.00E-04	0.0271	2.00E-04	0.00032	0.0082	0.0556	0.005	0.005
9	ELMB1	Max	0.097	5.00E-04	0.032	6.00E-04	4.00E-04	0.017	0.11	0.005	0.005
10	ELMB3	Number	11	11	11	11	10	11	11	11	11
11	ELMB3	non-detect(%)	18.18181818	100	36.3636364	100	100	81.81818182	9.090909091	100	100
12	ELMB3	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.005	0.005
13	ELMB3	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.00075	0.005	0.005
14	ELMB3	20th %ile	0.001	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.002	0.005	0.005
15	ELMB3	Median	0.002	5.00E-04	0.002	5.00E-05	5.00E-05	5.00E-04	0.004	0.005	0.005
16	ELMB3	80th %ile	0.005	5.00E-04	0.003	5.00E-05	5.00E-05	5.00E-04	0.022	0.005	0.005
17	ELMB3	95th %ile	0.014	5.00E-04	0.026	5.00E-05	5.00E-05	0.0035	0.0315	0.005	0.005
18	ELMB3	Max	0.014	5.00E-04	0.026	5.00E-05	5.00E-05	0.006	0.041	0.005	0.005
19	ELMB2	Number	12	13	12	6	17	6	6	3	3
20	ELMB2	non-detect(%)	41.66666667	100	41.6666667	83.33333333	94.11764706	50	16.66666667	100	66.66666667
21	ELMB2	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
22	ELMB2	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
23	ELMB2	20th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
24	ELMB2	Median	0.001	5.00E-04	0.001	5.00E-05	1.00E-04	0.001	0.005	0.0015	0.0015
25	ELMB2	80th %ile	0.0048	5.00E-04	0.007	1.00E-04	1.00E-04	0.001	0.009	0.0015	0.0024
26	ELMB2	95th %ile	0.00745	5.00E-04	0.00945	0.000175	0.00014	0.00325	0.01125	0.0015	0.00285
27	ELMB2	Max	0.008	5.00E-04	0.01	2.00E-04	3.00E-04	0.004	0.012	0.0015	0.003
28	RDMB1	Number	18	19	18	14	23	12	12	11	11
29	RDMB1	non-detect(%)	11.11111111	100	33.3333333	85.71428571	60.86956522	0	0	90.90909091	90.90909091
30	RDMB1	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.001	0.004	0.004
31	RDMB1	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.0032	0.0045	0.0045
32	RDMB1	20th %ile	0.0034	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.002	0.0266	0.005	0.005
33	RDMB1	Median	0.1145	5.00E-04	0.0095	5.00E-05	1.00E-04	0.002	0.0845	0.005	0.005
34	RDMB1	80th %ile	0.6412	5.00E-04	0.039	5.00E-05	0.00026	0.0056	0.1476	0.005	0.005
35	RDMB1	95th %ile	1.33	5.00E-04	0.072	0.00108	0.00049	0.0106	0.234	0.005	0.005
36	RDMB1	Max	1.33	5.00E-04	0.072	0.0016	7.00E-04	0.015	0.234	0.005	0.005
37	RDMB2	Number	20	17	20	14	23	15	14	13	13
38	RDMB2	non-detect(%)	45	100	85	100	100	86.66666667	100	100	100
39	RDMB2	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
40	RDMB2	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
41	RDMB2	20th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
42	RDMB2	Median	0.001	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.005	0.005
43	RDMB2	80th %ile	0.009	5.00E-04	5.00E-04	5.00E-05	1.00E-04	5.00E-04	5.00E-04	0.005	0.005
44	RDMB2	95th %ile	0.0617	5.00E-04	0.00105	5.00E-05	1.00E-04	0.0022	5.00E-04	0.005	0.005
45	RDMB2	Max	0.075	5.00E-04	0.002	5.00E-05	1.00E-04	0.005	5.00E-04	0.005	0.005
46	RDMB3	Number	10	10	10	10	9	10	10	10	10
47	RDMB3	non-detect(%)	20	100	20	100	100	40	10	100	100
48	RDMB3	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.005	0.005

	sites	statistic	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total	Selenium Dissolved	Selenium Total
49	RDMB3	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.000725	0.005	0.005
50	RDMB3	20th %ile	9.00E-04	5.00E-04	9.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0018	0.005	0.005
51	RDMB3	Median	0.0035	5.00E-04	0.001	5.00E-05	5.00E-05	0.0015	0.0025	0.005	0.005
52	RDMB3	80th %ile	0.004	5.00E-04	0.002	5.00E-05	5.00E-05	0.003	0.0052	0.005	0.005
53	RDMB3	95th %ile	0.0051	5.00E-04	0.002	5.00E-05	5.00E-05	0.0041	0.006	0.005	0.005
54	RDMB3	Max	0.006	5.00E-04	0.002	5.00E-05	5.00E-05	0.005	0.006	0.005	0.005
55	PSMB4	Number	13	15	13	7	7	7	7	4	4
56	PSMB4	non-detect(%)	38.46153846	80	30.7692308	85.71428571	76.47058824	14.28571429	0	75	100
57	PSMB4	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0015	0.0015
58	PSMB4	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.00065	0.0016	0.0015	0.0015
59	PSMB4	20th %ile	0.001	5.00E-04	0.001	5.00E-05	5.00E-05	0.001	0.003	0.0015	0.0015
60	PSMB4	Median	0.003	5.00E-04	0.002	5.00E-05	1.00E-04	0.001	0.003	0.0015	0.0015
61	PSMB4	80th %ile	0.0036	6.00E-04	0.0046	9.00E-05	1.00E-04	0.0018	0.004	0.0021	0.0015
62	PSMB4	95th %ile	0.0072	0.001	0.0088	0.00031	0.00042	0.0041	0.0075	0.002775	0.0015
63	PSMB4	Max	0.012	0.001	0.013	4.00E-04	5.00E-04	0.005	0.009	0.003	0.0015
64	PSMB5	Number	8	5	8	4	8	5	6	4	4
65	PSMB5	non-detect(%)	37.5	100	25	100	100	0	0	100	75
66	PSMB5	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.001	0.005	0.0015	0.005
67	PSMB5	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.0016	0.00525	0.002025	0.005
68	PSMB5	20th %ile	5.00E-04	5.00E-04	7.00E-04	5.00E-05	5.00E-05	0.0034	0.006	0.0036	0.005
69	PSMB5	Median	0.0025	5.00E-04	0.0035	5.00E-05	5.00E-05	0.006	0.007	0.005	0.005
70	PSMB5	80th %ile	0.011	5.00E-04	0.006	5.00E-05	5.00E-05	0.0072	0.009	0.005	0.005
71	PSMB5	95th %ile	0.024	5.00E-04	0.0112	5.00E-05	8.25E-05	0.0078	0.018	0.005	0.005
72	PSMB5	Max	0.031	5.00E-04	0.014	5.00E-05	1.00E-04	0.008	0.021	0.005	0.005
73	PSMB9	Number	13	11	13	11	12	11	12	9	9
74	PSMB9	non-detect(%)	7.692307692	72.72727273	0	100	91.66666667	27.27272727	0	77.77777778	66.66666667
75	PSMB9	Min	5.00E-04	5.00E-04	0.001	2.50E-05	5.00E-05	5.00E-04	0.003	0.0015	0.0015
76	PSMB9	5th %ile	8.00E-04	5.00E-04	0.001	3.75E-05	5.00E-05	5.00E-04	0.00355	0.0015	0.0021
77	PSMB9	20th %ile	0.003	5.00E-04	0.0068	5.00E-05	5.00E-05	5.00E-04	0.004	0.0024	0.003
78	PSMB9	Median	0.005	5.00E-04	0.016	5.00E-05	5.00E-05	0.002	0.0065	0.005	0.005
79	PSMB9	80th %ile	0.008	0.001	0.0404	5.00E-05	5.00E-05	0.002	0.0102	0.005	0.005
80	PSMB9	95th %ile	0.0644	0.003	0.2704	5.00E-05	8.60E-05	0.003	0.02145	0.005	0.005
81	PSMB9	Max	0.068	0.005	0.28	5.00E-05	0.00013	0.004	0.033	0.005	0.005
82	PSMB3	Number	2	3	2	3	2	3	2	3	2
83	PSMB3	non-detect(%)	0	66.66666667	0	100	100	0	0	100	100
84	PSMB3	Min	0.011	5.00E-04	0.012	5.00E-05	5.00E-05	0.002	0.013	0.005	0.005
85	PSMB3	5th %ile	0.012	5.00E-04	0.0142	5.00E-05	5.00E-05	0.0022	0.0136	0.005	0.005
86	PSMB3	20th %ile	0.015	5.00E-04	0.0208	5.00E-05	5.00E-05	0.0028	0.0154	0.005	0.005
87	PSMB3	Median	0.021	5.00E-04	0.034	5.00E-05	5.00E-05	0.004	0.019	0.005	0.005
88	PSMB3	80th %ile	0.027	0.0236	0.0472	5.00E-05	5.00E-05	0.0112	0.0226	0.005	0.005
89	PSMB3	95th %ile	0.03	0.03515	0.0538	5.00E-05	5.00E-05	0.0148	0.0244	0.005	0.005
90	PSMB3	Max	0.031	0.039	0.056	5.00E-05	5.00E-05	0.016	0.025	0.005	0.005
91	PSMB11	Number	21	18	21	17	20	18	18	15	14
92	PSMB11	non-detect(%)	9.523809524	38.88888889	14.2857143	82.35294118	60	5.555555556	5.555555556	73.33333333	71.42857143
93	PSMB11	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.005	0.005
94	PSMB11	5th %ile	0.001	5.00E-04	5.00E-04	5.00E-05	5.00E-05	0.000925	0.00185	0.005	0.005
95	PSMB11	20th %ile	0.001	5.00E-04	0.004	5.00E-05	5.00E-05	0.002	0.0024	0.005	0.005
96	PSMB11	Median	0.012	0.002	0.021	5.00E-05	7.50E-05	0.0025	0.0045	0.005	0.005

	sites	statistic	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total	Selenium Dissolved	Selenium Total
97	PSMB11	80th %ile	0.25	0.158	0.16	5.00E-05	0.00052	0.122	0.126	0.0112	0.0118
98	PSMB11	95th %ile	0.32	0.2335	0.29	0.000118	0.001955	0.153	0.1545	0.0133	0.01435
99	PSMB11	Max	0.38	0.31	0.37	0.00019	0.003	0.17	0.18	0.014	0.015
100	PSMB10	Number	19	18	19	17	18	18	16	15	12
101	PSMB10	non-detect(%)	10.52631579	66.66666667	10.5263158	100	100	33.33333333	6.25	80	66.66666667
102	PSMB10	Min	5.00E-04	5.00E-04	5.00E-04	2.50E-05	2.50E-05	5.00E-04	5.00E-04	0.0015	0.003
103	PSMB10	5th %ile	5.00E-04	5.00E-04	5.00E-04	4.50E-05	4.63E-05	5.00E-04	0.001625	0.00255	0.003
104	PSMB10	20th %ile	0.001	5.00E-04	0.001	5.00E-05	5.00E-05	5.00E-04	0.003	0.003	0.0032
105	PSMB10	Median	0.003	5.00E-04	0.004	5.00E-05	5.00E-05	0.002	0.005	0.005	0.005
106	PSMB10	80th %ile	0.004	0.001	0.0074	5.00E-05	5.00E-05	0.0052	0.008	0.005	0.005
107	PSMB10	95th %ile	0.0174	0.03145	0.0208	5.00E-05	1.00E-04	0.01785	0.014	0.005	0.005
108	PSMB10	Max	0.021	0.068	0.055	5.00E-05	1.00E-04	0.034	0.023	0.005	0.005
109	PSMB2	Number	23	33	24	24	29	24	18	20	15
110	PSMB2	non-detect(%)	39.13043478	78.78787879	50	100	96.55172414	45.83333333	38.88888889	100	100
111	PSMB2	Min	5.00E-04	5.00E-04	5.00E-04	2.50E-05	2.50E-05	5.00E-04	5.00E-04	0.0015	0.0015
112	PSMB2	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
113	PSMB2	20th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0043	0.0015
114	PSMB2	Median	0.001	5.00E-04	0.0015	5.00E-05	5.00E-05	0.001	0.001	0.005	0.005
115	PSMB2	80th %ile	0.002	0.0008	0.003	5.00E-05	1.00E-04	0.0044	0.002	0.005	0.005
116	PSMB2	95th %ile	0.0039	0.016	0.00755	9.25E-05	1.00E-04	0.00855	0.00415	0.005	0.011
117	PSMB2	Max	0.004	0.018	0.01	1.00E-04	2.00E-04	0.019	0.005	0.005	0.025
118	PSMB6	Number	21	22	21	21	20	22	18	20	14
119	PSMB6	non-detect(%)	14.28571429	72.72727273	14.2857143	100	95	4.545454545	0	90	78.57142857
120	PSMB6	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	2.50E-05	5.00E-04	0.002	0.0015	0.0015
121	PSMB6	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	4.88E-05	0.001	0.002	0.0015	0.003775
122	PSMB6	20th %ile	0.001	5.00E-04	0.001	5.00E-05	5.00E-05	0.001	0.003	0.005	0.005
123	PSMB6	Median	0.003	5.00E-04	0.005	5.00E-05	5.00E-05	0.002	0.0045	0.005	0.005
124	PSMB6	80th %ile	0.02	0.0034	0.027	5.00E-05	5.00E-05	0.003	0.0086	0.005	0.005
125	PSMB6	95th %ile	0.031	0.0118	0.046	5.00E-05	0.000105	0.004	0.0129	0.00515	0.00635
126	PSMB6	Max	0.036	0.034	0.073	5.00E-05	2.00E-04	0.012	0.018	0.008	0.007
127	PSMB7	Number	19	22	20	21	18	23	18	20	14
128	PSMB7	non-detect(%)	10.52631579	77.27272727	20	100	88.88888889	21.73913043	5.555555556	100	100
129	PSMB7	Min	5.00E-04	5.00E-04	5.00E-04	2.50E-05	2.50E-05	5.00E-04	0.001	0.0015	0.0015
130	PSMB7	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	4.63E-05	5.00E-04	0.001	0.0015	0.0015
131	PSMB7	20th %ile	0.002	5.00E-04	9.00E-04	5.00E-05	5.00E-05	0.0011	0.001	0.0043	0.0015
132	PSMB7	Median	0.004	5.00E-04	0.0035	5.00E-05	5.00E-05	0.005	0.007	0.005	0.005
133	PSMB7	80th %ile	0.0086	5.00E-04	0.0138	5.00E-05	5.00E-05	0.0088	0.011	0.005	0.005
134	PSMB7	95th %ile	0.0747	0.00865	0.19785	5.00E-05	0.000315	0.0358	0.0665	0.005	0.005
135	PSMB7	Max	0.585	0.009	0.29	5.00E-05	4.00E-04	0.052	0.313	0.005	0.005
136	PSMB8	Number	20	23	20	21	19	23	17	20	14
137	PSMB8	non-detect(%)	0	65.2173913	5	100	89.47368421	17.39130435	0	100	100
138	PSMB8	Min	0.002	5.00E-04	5.00E-04	2.50E-05	5.00E-05	5.00E-04	0.002	0.0015	0.0015
139	PSMB8	5th %ile	0.002	5.00E-04	0.000975	5.00E-05	5.00E-05	5.00E-04	0.002	0.0015	0.0015
140	PSMB8	20th %ile	0.0038	5.00E-04	0.0062	5.00E-05	5.00E-05	0.001	0.0022	0.0043	0.0015
141	PSMB8	Median	0.007	5.00E-04	0.0235	5.00E-05	5.00E-05	0.002	0.003	0.005	0.005
142	PSMB8	80th %ile	0.026	0.0064	0.0828	5.00E-05	5.40E-05	0.003	0.0106	0.005	0.005
143	PSMB8	95th %ile	0.08695	0.0196	0.344	5.00E-05	0.00011	0.005	0.0192	0.005	0.005
144	PSMB8	Max	0.105	0.021	0.344	5.00E-05	2.00E-04	0.006	0.024	0.005	0.005

	sites	statistic	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total	Selenium Dissolved	Selenium Total
145	PSMB12	Number	21	22	20	21	20	23	18	20	14
146	PSMB12	non-detect(%)	19.04761905	77.27272727	25	100	95	34.7826087	11.11111111	100	100
147	PSMB12	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	2.50E-05	5.00E-04	5.00E-04	0.0015	0.0015
148	PSMB12	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	4.88E-05	5.00E-04	0.000925	0.0015	0.0015
149	PSMB12	20th %ile	0.001	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0014	0.0043	0.0015
150	PSMB12	Median	0.003	5.00E-04	0.003	5.00E-05	5.00E-05	0.001	0.003	0.005	0.005
151	PSMB12	80th %ile	0.006	5.00E-04	0.006	5.00E-05	5.00E-05	0.002	0.0056	0.005	0.005
152	PSMB12	95th %ile	0.06	0.001925	0.0062	5.00E-05	0.000105	0.003	0.01455	0.005	0.005
153	PSMB12	Max	0.073	0.005	0.01	5.00E-05	2.00E-04	0.005	0.029	0.005	0.005
154	PSMB13	Number	19	21	19	21	18	21	16	20	14
155	PSMB13	non-detect(%)	31.57894737	66.66666667	21.0526316	100	94.44444444	33.33333333	12.5	100	92.85714286
156	PSMB13	Min	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
157	PSMB13	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
158	PSMB13	20th %ile	5.00E-04	5.00E-04	8.00E-04	5.00E-05	5.00E-05	5.00E-04	0.001	0.0043	0.0024
159	PSMB13	Median	0.001	5.00E-04	0.003	5.00E-05	5.00E-05	0.002	0.002	0.005	0.005
160	PSMB13	80th %ile	0.005	0.001	0.0068	5.00E-05	5.00E-05	0.003	0.009	0.005	0.005
161	PSMB13	95th %ile	0.0275	0.023	0.0741	5.00E-05	0.000115	0.004	0.013	0.005	0.005
162	PSMB13	Max	0.032	0.032	0.174	5.00E-05	2.00E-04	0.005	0.019	0.005	0.005
163	PSMB14	Number	21	22	21	22	21	23	18	20	14
164	PSMB14	non-detect(%)	47.61904762	50	9.52380952	90.90909091	90.47619048	26.08695652	16.66666667	100	92.85714286
165	PSMB14	Min	5.00E-04	5.00E-04	5.00E-04	2.50E-05	5.00E-05	5.00E-04	5.00E-04	0.0015	0.0015
166	PSMB14	5th %ile	5.00E-04	5.00E-04	0.001	5.00E-05	5.00E-05	5.00E-04	0.000925	0.0015	0.0015
167	PSMB14	20th %ile	5.00E-04	5.00E-04	0.001	5.00E-05	5.00E-05	7.00E-04	0.001	0.0043	0.0024
168	PSMB14	Median	0.001	0.00075	0.002	5.00E-05	5.00E-05	0.002	0.0025	0.005	0.005
169	PSMB14	80th %ile	0.002	0.0108	0.005	5.00E-05	5.00E-05	0.0096	0.0082	0.005	0.005
170	PSMB14	95th %ile	0.016	0.0586	0.034	0.000164	2.00E-04	0.0307	0.02325	0.005	0.005
171	PSMB14	Max	0.023	0.25	0.127	0.00017	0.00035	0.033	0.053	0.005	0.005
172	PSMB1	Number	22	32	22	23	28	23	17	19	13
173	PSMB1	non-detect(%)	18.18181818	78.125	31.8181818	100	89.28571429	30.43478261	11.76470588	89.47368421	92.30769231
174	PSMB1	Min	5.00E-04	5.00E-04	5.00E-04	2.50E-05	2.50E-05	5.00E-04	5.00E-04	0.0015	0.0015
175	PSMB1	5th %ile	5.00E-04	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	9.00E-04	0.0015	0.0015
176	PSMB1	20th %ile	0.002	5.00E-04	5.00E-04	5.00E-05	5.00E-05	5.00E-04	0.0022	0.005	0.0029
177	PSMB1	Median	0.003	5.00E-04	0.003	5.00E-05	7.50E-05	0.002	0.006	0.005	0.005
178	PSMB1	80th %ile	0.008	9.00E-04	0.0102	5.00E-05	1.00E-04	0.0076	0.0164	0.005	0.005
179	PSMB1	95th %ile	0.02085	0.0138	0.01955	9.50E-05	1.00E-04	0.0167	0.0496	0.0052	0.0062
180	PSMB1	Max	0.024	0.018	0.023	1.00E-04	2.00E-04	0.019	0.08	0.007	0.008
181	PSMB13	Number	2	2	2	0	2	2	2	0	0
182	PSMB13	non-detect(%)	0	100	50	NA	100	100	100	NA	NA
183	PSMB13	Min	0.002	5.00E-04	5.00E-04	Inf	5.00E-05	0.001	0.001	Inf	Inf
184	PSMB13	5th %ile	0.002	5.00E-04	0.000525	NA	5.00E-05	0.001	0.001	NA	NA
185	PSMB13	20th %ile	0.002	5.00E-04	6.00E-04	NA	5.00E-05	0.001	0.001	NA	NA
186	PSMB13	Median	0.002	5.00E-04	0.00075	NA	5.00E-05	0.001	0.001	NA	NA
187	PSMB13	80th %ile	0.002	5.00E-04	9.00E-04	NA	5.00E-05	0.001	0.001	NA	NA
188	PSMB13	95th %ile	0.002	5.00E-04	0.000975	NA	5.00E-05	0.001	0.001	NA	NA
189	PSMB13	Max	0.002	5.00E-04	0.001	#NAME?	5.00E-05	0.001	0.001	#NAME?	#NAME?

	sites	statistic	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved
1	ELMB1	Number	12	15	16	19	26	23	14	11	21
2	ELMB1	non-detect(%)	100	53.33333333	100	100	38.46153846	8.695652	100	100	0
3	ELMB1	Min	5.00E-06	4.00E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	74
4	ELMB1	5th %ile	5.00E-06	4.00E-05	5.00E-04	5.00E-04	0.0025	0.00275	0.002	0.002	83
5	ELMB1	20th %ile	5.00E-06	5.00E-05	5.00E-04	5.00E-04	0.0025	0.0106	0.002	0.002	120
6	ELMB1	Median	5.00E-06	5.00E-04	5.00E-04	5.00E-04	0.01	0.029	0.002	0.002	130
7	ELMB1	80th %ile	0.000401	5.00E-04	0.0025	0.0115	0.025	0.0622	0.002	0.002	132
8	ELMB1	95th %ile	0.002525	0.10975	0.008125	0.025	0.03425	0.1953	0.002	0.002	140
9	ELMB1	Max	0.005	0.36	0.025	0.025	0.036	0.265	0.002	0.002	140
10	ELMB3	Number	11	11	11	11	11	11	11	11	6
11	ELMB3	non-detect(%)	90.90909091	54.54545455	100	81.81818	27.27272727	0	100	100	0
12	ELMB3	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.006	0.002	0.002	36
13	ELMB3	5th %ile	5.00E-06	7.50E-06	5.00E-04	5.00E-04	0.0025	0.0075	0.002	0.002	36.25
14	ELMB3	20th %ile	5.00E-06	1.00E-05	5.00E-04	5.00E-04	0.0025	0.011	0.002	0.002	37
15	ELMB3	Median	5.00E-06	6.00E-05	5.00E-04	5.00E-04	0.007	0.022	0.002	0.002	38
16	ELMB3	80th %ile	2.00E-05	5.00E-04	5.00E-04	5.00E-04	0.017	0.039	0.002	0.002	40
17	ELMB3	95th %ile	0.00275	0.00275	5.00E-04	0.0035	0.04	0.044	0.002	0.002	40.75
18	ELMB3	Max	0.005	0.005	5.00E-04	0.004	0.05	0.044	0.002	0.002	41
19	ELMB2	Number	1	4	5	8	13	12	5	0	13
20	ELMB2	non-detect(%)	100	100	100	100	38.46153846	25	80	NA	0
21	ELMB2	Min	5.00E-04	5.00E-04	0.0025	0.0025	0.0025	0.0025	0.002	Inf	22
22	ELMB2	5th %ile	5.00E-04	5.00E-04	0.0025	0.0025	0.0025	0.0025	0.002	NA	38.8
23	ELMB2	20th %ile	5.00E-04	5.00E-04	0.0025	0.0025	0.0025	0.0032	0.002	NA	61
24	ELMB2	Median	5.00E-04	5.00E-04	0.0025	0.01375	0.009	0.0135	0.002	NA	72
25	ELMB2	80th %ile	5.00E-04	0.0013	0.007	0.025	0.022	0.0434	0.005	NA	77
26	ELMB2	95th %ile	5.00E-04	0.0022	0.0205	0.025	0.0272	0.06795	0.0125	NA	79.6
27	ELMB2	Max	5.00E-04	0.0025	0.025	0.025	0.032	0.074	0.015	#NAME?	82
28	RDMB1	Number	10	12	11	13	19	17	11	10	15
29	RDMB1	non-detect(%)	100	41.66666667	100	100	47.36842105	11.76471	100	100	0
30	RDMB1	Min	5.00E-06	5.00E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	64
31	RDMB1	5th %ile	5.00E-06	0.0002975	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	78.7
32	RDMB1	20th %ile	5.00E-06	5.00E-04	5.00E-04	5.00E-04	0.0025	0.0062	0.002	0.002	86
33	RDMB1	Median	5.00E-06	0.000985	5.00E-04	5.00E-04	0.006	0.129	0.002	0.002	91
34	RDMB1	80th %ile	0.000104	0.00244	5.00E-04	0.0017	0.0224	0.276	0.002	0.002	95.8
35	RDMB1	95th %ile	0.002975	0.145375	0.0015	0.025	0.059	0.617	0.002	0.002	106
36	RDMB1	Max	0.005	0.32	0.0025	0.025	0.14	0.617	0.002	0.002	120
37	RDMB2	Number	9	11	14	16	20	20	11	9	17
38	RDMB2	non-detect(%)	100	90.90909091	100	100	25	20	100	100	0
39	RDMB2	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	0.63
40	RDMB2	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	32.926
41	RDMB2	20th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0045	0.002	0.002	86.2
42	RDMB2	Median	5.00E-06	5.00E-04	5.00E-04	5.00E-04	0.017	0.015	0.002	0.002	99
43	RDMB2	80th %ile	0.000203	5.00E-04	0.0025	0.0025	0.0388	0.0332	0.002	0.002	105
44	RDMB2	95th %ile	0.0032	0.00625	0.0025	0.025	0.1165	0.05335	0.002	0.002	111.2
45	RDMB2	Max	0.005	0.01	0.0025	0.025	0.24	0.079	0.002	0.002	120
46	RDMB3	Number	10	10	10	10	10	10	10	10	6
47	RDMB3	non-detect(%)	100	70	100	90	60	0	100	100	0
48	RDMB3	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.006	0.002	0.002	79

	sites	statistic	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved
49	RDMB3	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.006	0.002	0.002	80
50	RDMB3	20th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0084	0.002	0.002	83
51	RDMB3	Median	5.00E-06	2.00E-05	5.00E-04	5.00E-04	0.0025	0.0135	0.002	0.002	83
52	RDMB3	80th %ile	0.000104	5.00E-04	5.00E-04	5.00E-04	0.0122	0.0292	0.002	0.002	83
53	RDMB3	95th %ile	0.002975	0.002975	5.00E-04	0.001325	0.03105	0.04805	0.002	0.002	85.25
54	RDMB3	Max	0.005	0.005	5.00E-04	0.002	0.036	0.053	0.002	0.002	86
55	PSMB4	Number	2	5	6	9	15	13	20	0	15
56	PSMB4	non-detect(%)	100	100	100	100	6.666666667	7.692308	90	NA	0
57	PSMB4	Min	5.00E-04	5.00E-04	0.0025	0.0025	0.0025	0.0025	0.002	Inf	180
58	PSMB4	5th %ile	5.00E-04	5.00E-04	0.0025	0.0025	0.00425	0.0052	0.002	NA	243
59	PSMB4	20th %ile	5.00E-04	5.00E-04	0.0025	0.0025	0.0134	0.0134	0.002	NA	298
60	PSMB4	Median	5.00E-04	5.00E-04	0.0025	0.025	0.018	0.022	0.002	NA	340
61	PSMB4	80th %ile	5.00E-04	0.0025	0.025	0.025	0.0268	0.0414	0.0021	NA	360
62	PSMB4	95th %ile	5.00E-04	0.0025	0.025	0.025	0.0913	0.1004	0.005	NA	372
63	PSMB4	Max	5.00E-04	0.0025	0.025	0.025	0.12	0.17	0.005	#NAME?	400
64	PSMB5	Number	5	7	5	7	5	8	8	3	6
65	PSMB5	non-detect(%)	100	100	100	71.42857	0	12.5	100	100	0
66	PSMB5	Min	5.00E-06	5.00E-04	5.00E-04	5.00E-04	0.007	0.0025	0.002	0.002	18
67	PSMB5	5th %ile	5.00E-06	5.00E-04	5.00E-04	0.00065	0.0072	0.003725	0.002	0.002	21.75
68	PSMB5	20th %ile	5.00E-06	5.00E-04	5.00E-04	0.0012	0.0078	0.0068	0.002	0.002	33
69	PSMB5	Median	5.00E-06	5.00E-04	5.00E-04	0.025	0.011	0.009	0.002	0.002	43
70	PSMB5	80th %ile	5.00E-04	5.00E-04	0.025	0.025	0.0174	0.0184	0.002	0.002	55
71	PSMB5	95th %ile	5.00E-04	0.0019	0.025	0.025	0.0186	0.04535	0.002	0.002	67.75
72	PSMB5	Max	5.00E-04	0.0025	0.025	0.025	0.019	0.059	0.002	0.002	72
73	PSMB9	Number	6	7	11	12	11	13	13	5	11
74	PSMB9	non-detect(%)	33.33333333	28.57142857	90.90909091	91.66667	18.18181818	7.692308	100	100	0
75	PSMB9	Min	1.00E-05	1.00E-04	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	50
76	PSMB9	5th %ile	1.25E-05	1.00E-04	5.00E-04	5.00E-04	0.0025	0.007	0.002	0.002	54
77	PSMB9	20th %ile	2.00E-05	0.000114	5.00E-04	5.00E-04	0.007	0.0204	0.002	0.002	59
78	PSMB9	Median	2.00E-05	0.00023	0.0025	0.0025	0.009	0.035	0.002	0.002	69
79	PSMB9	80th %ile	5.00E-04	5.00E-04	0.007	0.0092	0.014	0.0558	0.002	0.002	117
80	PSMB9	95th %ile	0.003875	0.40615	0.0175	0.025	0.0325	0.136	0.002	0.002	122
81	PSMB9	Max	0.005	0.58	0.025	0.025	0.033	0.16	0.002	0.002	124
82	PSMB3	Number	3	2	3	2	3	2	3	3	0
83	PSMB3	non-detect(%)	100	50	100	100	66.66666667	0	100	100	NA
84	PSMB3	Min	5.00E-06	5.00E-04	5.00E-04	5.00E-04	0.0025	0.038	0.002	0.002	Inf
85	PSMB3	5th %ile	5.45E-05	0.008975	5.00E-04	5.00E-04	0.0025	0.0414	0.002	0.002	NA
86	PSMB3	20th %ile	0.000203	0.0344	5.00E-04	5.00E-04	0.0025	0.0516	0.002	0.002	NA
87	PSMB3	Median	5.00E-04	0.08525	5.00E-04	5.00E-04	0.0025	0.072	0.002	0.002	NA
88	PSMB3	80th %ile	0.0032	0.1361	5.00E-04	5.00E-04	0.091	0.0924	0.002	0.002	NA
89	PSMB3	95th %ile	0.00455	0.161525	5.00E-04	5.00E-04	0.13525	0.1026	0.002	0.002	NA
90	PSMB3	Max	0.005	0.17	5.00E-04	5.00E-04	0.15	0.106	0.002	0.002	#NAME?
91	PSMB11	Number	14	16	18	20	18	21	22	11	17
92	PSMB11	non-detect(%)	100	62.5	83.33333333	80	5.555555556	4.761905	100	100	0
93	PSMB11	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	17
94	PSMB11	5th %ile	5.00E-06	8.75E-06	5.00E-04	5.00E-04	0.028425	0.007	0.002	0.002	115.4
95	PSMB11	20th %ile	5.00E-06	6.00E-05	5.00E-04	5.00E-04	0.1138	0.063	0.002	0.002	190.6
96	PSMB11	Median	5.00E-06	5.00E-04	0.00075	0.0025	0.1565	0.174	0.002	0.002	210

	sites	statistic	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved
97	PSMB11	80th %ile	5.00E-04	0.0025	0.0052	0.025	10	10	0.002	0.002	347.8
98	PSMB11	95th %ile	0.012	0.04875	0.025	0.025	12	12	0.002	0.002	428
99	PSMB11	Max	0.025	0.12	0.025	0.025	12	13	0.002	0.002	460
100	PSMB10	Number	13	13	18	18	18	19	22	11	15
101	PSMB10	non-detect(%)	92.30769231	69.23076923	83.33333333	94.44444	27.77777778	21.05263	100	100	0
102	PSMB10	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	52
103	PSMB10	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	74.4
104	PSMB10	20th %ile	5.00E-06	2.20E-05	5.00E-04	5.00E-04	0.0025	0.0046	0.002	0.002	91
105	PSMB10	Median	5.00E-06	5.00E-04	0.00125	0.0025	0.015	0.018	0.002	0.002	130
106	PSMB10	80th %ile	5.00E-04	5.00E-04	0.0084	0.025	0.026	0.036	0.002	0.002	165.4
107	PSMB10	95th %ile	0.013	0.0095	0.025	0.025	0.0595	0.0509	0.002	0.002	174.3
108	PSMB10	Max	0.025	0.02	0.025	0.025	0.085	0.14	0.002	0.002	175
109	PSMB2	Number	19	15	23	20	32	23	38	16	23
110	PSMB2	non-detect(%)	94.73684211	73.33333333	95.65217391	90	9.375	13.04348	97.36842105	100	0
111	PSMB2	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	24
112	PSMB2	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	29.5
113	PSMB2	20th %ile	5.00E-06	9.00E-06	5.00E-04	5.00E-04	0.007	0.0074	0.002	0.002	41.8
114	PSMB2	Median	5.00E-04	5.00E-04	5.00E-04	0.00225	0.015	0.012	0.002	0.002	67
115	PSMB2	80th %ile	5.00E-04	5.00E-04	0.0025	0.025	0.033	0.0172	0.002	0.002	126
116	PSMB2	95th %ile	0.00772	0.00775	0.0235	0.025	0.07405	0.0351	0.0025	0.002	165.5
117	PSMB2	Max	0.025	0.02	0.025	0.025	0.093	0.075	0.005	0.002	212
118	PSMB6	Number	18	15	23	20	22	21	26	15	17
119	PSMB6	non-detect(%)	88.88888889	60	91.30434783	90	36.36363636	9.52381	100	73.33333333	0
120	PSMB6	Min	5.00E-06	4.00E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	23
121	PSMB6	5th %ile	5.00E-06	6.10E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	39
122	PSMB6	20th %ile	5.00E-06	7.80E-05	5.00E-04	5.00E-04	0.0025	0.009	0.002	0.002	94.4
123	PSMB6	Median	0.000255	5.00E-04	5.00E-04	0.0025	0.009	0.029	0.002	0.002	140
124	PSMB6	80th %ile	5.00E-04	5.00E-04	0.0028	0.025	0.0234	0.049	0.002	0.0494	195.2
125	PSMB6	95th %ile	0.008	0.00325	0.0235	0.025	0.04075	0.09	0.002	0.0554	204
126	PSMB6	Max	0.025	0.005	0.025	0.025	0.087	0.123	0.002	0.061	204
127	PSMB7	Number	19	15	23	19	23	20	25	16	16
128	PSMB7	non-detect(%)	89.47368421	60	91.30434783	78.94737	13.04347826	0	100	87.5	0
129	PSMB7	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.006	0.002	0.002	27
130	PSMB7	5th %ile	5.00E-06	1.55E-05	5.00E-04	5.00E-04	0.0025	0.00695	0.002	0.002	27.75
131	PSMB7	20th %ile	5.00E-06	3.80E-05	5.00E-04	5.00E-04	0.0058	0.0096	0.002	0.002	33
132	PSMB7	Median	5.00E-04	5.00E-04	5.00E-04	0.002	0.014	0.02	0.002	0.002	62.5
133	PSMB7	80th %ile	7.00E-04	5.00E-04	0.004	0.016	0.0374	0.0498	0.002	0.002	70
134	PSMB7	95th %ile	0.025	0.3955	0.0235	0.025	0.0837	0.1271	0.002	0.00625	77
135	PSMB7	Max	0.025	1.26	0.025	0.025	0.086	0.395	0.002	0.007	92
136	PSMB8	Number	19	15	23	19	23	20	26	16	16
137	PSMB8	non-detect(%)	89.47368421	53.33333333	86.95652174	68.42105	8.695652174	0	100	100	0
138	PSMB8	Min	5.00E-06	3.00E-05	5.00E-04	5.00E-04	0.0025	0.014	0.002	0.002	11
139	PSMB8	5th %ile	5.00E-06	3.70E-05	5.00E-04	5.00E-04	0.00285	0.01495	0.002	0.002	12.5
140	PSMB8	20th %ile	5.00E-06	0.000162	5.00E-04	8.00E-04	0.0082	0.025	0.002	0.002	16
141	PSMB8	Median	2.00E-04	5.00E-04	5.00E-04	0.002	0.015	0.0515	0.002	0.002	48
142	PSMB8	80th %ile	5.00E-04	0.0009	0.0025	0.016	0.0308	0.1078	0.002	0.002	75
143	PSMB8	95th %ile	0.025	0.0685	0.0235	0.025	0.1246	0.2194	0.002	0.002	79.25
144	PSMB8	Max	0.025	0.17	0.025	0.025	0.191	0.246	0.002	0.002	83

	sites	statistic	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved
145	PSMB12	Number	18	15	23	20	23	21	27	16	17
146	PSMB12	non-detect(%)	88.88888889	53.33333333	73.91304348	85	26.08695652	4.761905	100	100	0
147	PSMB12	Min	5.00E-06	2.00E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	15
148	PSMB12	5th %ile	5.00E-06	2.70E-05	5.00E-04	5.00E-04	0.0025	0.008	0.002	0.002	18.2
149	PSMB12	20th %ile	5.00E-06	4.00E-05	5.00E-04	5.00E-04	0.0025	0.016	0.002	0.002	21.6
150	PSMB12	Median	0.0002525	5.00E-04	0.001	0.0025	0.012	0.027	0.002	0.002	31
151	PSMB12	80th %ile	5.00E-04	5.00E-04	0.0025	0.025	0.0256	0.046	0.002	0.002	46.6
152	PSMB12	95th %ile	0.008	0.20275	0.0235	0.025	0.0477	0.078	0.002	0.002	56.8
153	PSMB12	Max	0.025	0.67	0.025	0.025	0.082	0.095	0.002	0.002	96
154	PSMB13	Number	17	14	20	18	21	19	25	16	16
155	PSMB13	non-detect(%)	94.11764706	71.42857143	65	94.44444	23.80952381	5.263158	100	100	0
156	PSMB13	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	15
157	PSMB13	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.00655	0.002	0.002	18.75
158	PSMB13	20th %ile	5.00E-06	8.00E-06	5.00E-04	5.00E-04	0.0025	0.01	0.002	0.002	61
159	PSMB13	Median	5.00E-06	5.00E-04	0.001	0.00125	0.009	0.022	0.002	0.002	83.5
160	PSMB13	80th %ile	5.00E-04	5.00E-04	0.0025	0.016	0.043	0.064	0.002	0.002	110
161	PSMB13	95th %ile	0.009	0.026125	0.002525	0.025	0.073	0.1507	0.002	0.002	112.5
162	PSMB13	Max	0.025	0.07	0.003	0.025	0.163	0.166	0.002	0.002	120
163	PSMB14	Number	18	17	23	21	23	22	28	16	18
164	PSMB14	non-detect(%)	100	76.47058824	69.56521739	85.71429	30.43478261	18.18182	100	100	0
165	PSMB14	Min	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	102
166	PSMB14	5th %ile	5.00E-06	5.00E-06	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	108.8
167	PSMB14	20th %ile	5.00E-06	1.20E-05	5.00E-04	5.00E-04	0.0025	0.0062	0.002	0.002	114
168	PSMB14	Median	0.0002525	5.00E-04	0.001	0.0025	0.01	0.0155	0.002	0.002	248
169	PSMB14	80th %ile	5.00E-04	0.0021	0.0025	0.025	0.067	0.0848	0.002	0.002	357
170	PSMB14	95th %ile	0.008	0.021	0.0235	0.025	0.299	0.11	0.002	0.002	434.7
171	PSMB14	Max	0.025	0.025	0.025	0.025	0.53	0.341	0.002	0.002	501
172	PSMB1	Number	18	15	22	19	32	23	37	16	22
173	PSMB1	non-detect(%)	88.88888889	53.33333333	95.45454545	89.47368	15.625	4.347826	100	100	0
174	PSMB1	Min	5.00E-06	1.00E-05	5.00E-04	5.00E-04	0.0025	0.0025	0.002	0.002	3.4
175	PSMB1	5th %ile	5.00E-06	1.00E-05	5.00E-04	5.00E-04	0.0025	0.0058	0.002	0.002	16.05
176	PSMB1	20th %ile	5.00E-06	4.60E-05	5.00E-04	5.00E-04	0.009	0.0142	0.002	0.002	120
177	PSMB1	Median	5.00E-04	5.00E-04	5.00E-04	0.0025	0.024	0.035	0.002	0.002	210
178	PSMB1	80th %ile	0.0032	0.0013	0.0025	0.025	0.0464	0.0632	0.002	0.002	275.8
179	PSMB1	95th %ile	0.025	0.0535	0.02425	0.025	0.10515	0.1395	0.0025	0.002	292
180	PSMB1	Max	0.025	0.12	0.025	0.025	0.16	0.167	0.0025	0.002	294
181	PSMB13	Number	2	2	2	2	2	2	2	0	2
182	PSMB13	non-detect(%)	100	100	100	100	0	0	100	NA	0
183	PSMB13	Min	5.00E-04	5.00E-04	0.025	0.025	0.02	0.018	0.002	Inf	18
184	PSMB13	5th %ile	5.00E-04	5.00E-04	0.025	0.025	0.02	0.01815	0.002	NA	18
185	PSMB13	20th %ile	5.00E-04	5.00E-04	0.025	0.025	0.02	0.0186	0.002	NA	18
186	PSMB13	Median	5.00E-04	5.00E-04	0.025	0.025	0.02	0.0195	0.002	NA	18
187	PSMB13	80th %ile	5.00E-04	5.00E-04	0.025	0.025	0.02	0.0204	0.002	NA	18
188	PSMB13	95th %ile	5.00E-04	5.00E-04	0.025	0.025	0.02	0.02085	0.002	NA	18
189	PSMB13	Max	5.00E-04	5.00E-04	0.025	0.025	0.02	0.021	0.002	#NAME?	18

	sites	statistic	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3
1	ELMB1	Number	6	17	12	21	20	20
2	ELMB1	non-detect(%)	0	0	0	0	0	100
3	ELMB1	Min	2	29	42	13	561	0.5
4	ELMB1	5th %ile	2	29.8	44.2	14	579.05	0.5
5	ELMB1	20th %ile	2	33.2	46.2	14	590	0.5
6	ELMB1	Median	2	36	52.5	16	608.5	2.5
7	ELMB1	80th %ile	2	46	60.4	20	654	2.5
8	ELMB1	95th %ile	2.75	66	61.9	28	715	2.5
9	ELMB1	Max	3	130	63	34	1000	2.5
10	ELMB3	Number	6	6	6	11	6	6
11	ELMB3	non-detect(%)	0	0	0	0	0	100
12	ELMB3	Min	4	367	27	89	742	0.5
13	ELMB3	5th %ile	4	373.25	27	92.5	750	0.5
14	ELMB3	20th %ile	4	392	27	98	774	0.5
15	ELMB3	Median	4	393	28	99	787	0.5
16	ELMB3	80th %ile	5	400	29	104	811	0.5
17	ELMB3	95th %ile	5	416.5	30.5	39053	814	0.5
18	ELMB3	Max	5	422	31	78000	815	0.5
19	ELMB2	Number	0	9	5	9	12	12
20	ELMB2	non-detect(%)	NA	0	0	0	0	100
21	ELMB2	Min	Inf	9.7	40	12	130	2.5
22	ELMB2	5th %ile	NA	36.62	40.2	12.8	355.5	2.5
23	ELMB2	20th %ile	NA	96.8	40.8	18.8	572	2.5
24	ELMB2	Median	NA	120	42	24	600	2.5
25	ELMB2	80th %ile	NA	124	47.2	30.4	626	2.5
26	ELMB2	95th %ile	NA	136	50.8	31	897.5	2.5
27	ELMB2	Max	#NAME?	140	52	31	1200	2.5
28	RDMB1	Number	6	14	9	17	15	15
29	RDMB1	non-detect(%)	0	0	0	0	0	100
30	RDMB1	Min	2	34	85	14	570	0.5
31	RDMB1	5th %ile	2	50.25	89.8	14	663.1	0.5
32	RDMB1	20th %ile	2	62.8	97.6	17.6	709.8	0.5
33	RDMB1	Median	3	82	101	36	733	2.5
34	RDMB1	80th %ile	3	101	108	40	797.6	2.5
35	RDMB1	95th %ile	3	108.1	111	49	969	2.5
36	RDMB1	Max	3	112	113	53	1200	2.5
37	RDMB2	Number	5	13	11	17	15	15
38	RDMB2	non-detect(%)	0	0	0	0	0	100
39	RDMB2	Min	3	4.2	54	5	10	0.5
40	RDMB2	5th %ile	3	22.68	54.5	9.8	325	0.5
41	RDMB2	20th %ile	3	37.2	59	12	517.8	0.5
42	RDMB2	Median	3	45	63	30	550	2.5
43	RDMB2	80th %ile	3	63	83	100	586.8	2.5
44	RDMB2	95th %ile	3	64.8	84	6096.8	700	2.5
45	RDMB2	Max	3	66	85	30000	910	2.5
46	RDMB3	Number	6	6	6	10	6	6
47	RDMB3	non-detect(%)	0	0	0	0	0	100
48	RDMB3	Min	6	86	63	17	554	0.5

	sites	statistic	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3
49	RDMB3	5th %ile	6	86	63.5	17	557.75	0.5
50	RDMB3	20th %ile	6	86	65	17.8	569	0.5
51	RDMB3	Median	6.5	94	65.5	20	575	0.5
52	RDMB3	80th %ile	7	104	70	21	623	0.5
53	RDMB3	95th %ile	7.75	108.5	71.5	11009.45	625.25	0.5
54	RDMB3	Max	8	110	72	20000	626	0.5
55	PSMB4	Number	0	10	5	10	13	13
56	PSMB4	non-detect(%)	NA	0	0	0	0	100
57	PSMB4	Min	Inf	130	260	24	540	2.5
58	PSMB4	5th %ile	NA	134.5	262	62.7	552	2.5
59	PSMB4	20th %ile	NA	148	268	110	560	2.5
60	PSMB4	Median	NA	150	280	130	570	2.5
61	PSMB4	80th %ile	NA	174	314	132	596	2.5
62	PSMB4	95th %ile	NA	393.5	326	140	1864	2.5
63	PSMB4	Max	#NAME?	560	330	140	3700	2.5
64	PSMB5	Number	1	5	1	7	5	5
65	PSMB5	non-detect(%)	0	0	0	0	0	100
66	PSMB5	Min	14	52	25	16	280	0.5
67	PSMB5	5th %ile	14	58.6	25	16	280	0.9
68	PSMB5	20th %ile	14	78.4	25	16.2	280	2.1
69	PSMB5	Median	14	87	25	25	320	2.5
70	PSMB5	80th %ile	14	127.4	25	52	381.4	2.5
71	PSMB5	95th %ile	14	209.6	25	37815.6	385.6	2.5
72	PSMB5	Max	14	237	25	54000	387	2.5
73	PSMB9	Number	4	7	8	8	10	10
74	PSMB9	non-detect(%)	0	0	0	0	0	100
75	PSMB9	Min	34	110	51	23	420	0.5
76	PSMB9	5th %ile	34.75	122	53.1	25.8	555	0.5
77	PSMB9	20th %ile	37	234	59.4	33.8	944	0.5
78	PSMB9	Median	41	1460	158.5	182	1000	2.5
79	PSMB9	80th %ile	43	1640	283.2	310.4	2446	2.5
80	PSMB9	95th %ile	43	1647	284	312	2630	2.5
81	PSMB9	Max	43	1650	284	312	2630	2.5
82	PSMB3	Number	0	0	0	3	0	0
83	PSMB3	non-detect(%)	NA	NA	NA	0	NA	NA
84	PSMB3	Min	Inf	Inf	Inf	18	Inf	Inf
85	PSMB3	5th %ile	NA	NA	NA	23.7	NA	NA
86	PSMB3	20th %ile	NA	NA	NA	40.8	NA	NA
87	PSMB3	Median	NA	NA	NA	75	NA	NA
88	PSMB3	80th %ile	NA	NA	NA	138	NA	NA
89	PSMB3	95th %ile	NA	NA	NA	169.5	NA	NA
90	PSMB3	Max	#NAME?	#NAME?	#NAME?	180	#NAME?	#NAME?
91	PSMB11	Number	7	12	11	16	15	15
92	PSMB11	non-detect(%)	0	0	0	0	13.33333333	100
93	PSMB11	Min	4	16	96	4	2.5	0.5
94	PSMB11	5th %ile	4	158.45	105	4.75	2.5	0.5
95	PSMB11	20th %ile	4	433.8	114	5	66.8	0.5
96	PSMB11	Median	5	510	118	6.5	380	2.5

	sites	statistic	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3
97	PSMB11	80th %ile	5	530.8	130	17	488	2.5
98	PSMB11	95th %ile	9.9	541.45	130	1280.75	630	2.5
99	PSMB11	Max	12	553	130	5000	770	2.5
100	PSMB10	Number	5	11	9	17	14	14
101	PSMB10	non-detect(%)	0	0	0	0	0	92.85714286
102	PSMB10	Min	11	64	47	37	190	0.5
103	PSMB10	5th %ile	11	73	55	37	235.5	0.5
104	PSMB10	20th %ile	11	96	70.6	39	464	0.5
105	PSMB10	Median	11	160	92	61	600	2.5
106	PSMB10	80th %ile	12	191	97.2	78.8	862.4	2.5
107	PSMB10	95th %ile	12	255.5	99.6	112	982	12.825
108	PSMB10	Max	12	320	100	120	982	32
109	PSMB2	Number	7	19	13	27	22	22
110	PSMB2	non-detect(%)	0	0	0	0	0	100
111	PSMB2	Min	4	53	48	16	160	0.5
112	PSMB2	5th %ile	4.3	88.1	57	21.3	221	0.5
113	PSMB2	20th %ile	5	178	67.6	32.4	484	0.5
114	PSMB2	Median	5	260	128	76	580	2.5
115	PSMB2	80th %ile	5.8	374	145	94.8	671.6	2.5
116	PSMB2	95th %ile	6.7	393.1	187.6	183.1	689.85	2.5
117	PSMB2	Max	7	448	226	219	1700	2.5
118	PSMB6	Number	7	13	11	21	16	16
119	PSMB6	non-detect(%)	0	0	0	0	0	100
120	PSMB6	Min	6	16	91	12	100	0.5
121	PSMB6	5th %ile	6	31	91.5	21	205	0.5
122	PSMB6	20th %ile	6	72.8	92	96	360	0.5
123	PSMB6	Median	6	183	119	119	435	2.5
124	PSMB6	80th %ile	7.8	199.8	127	161	535	2.5
125	PSMB6	95th %ile	8	226.8	127.5	200	544	2.5
126	PSMB6	Max	8	249	128	200	547	2.5
127	PSMB7	Number	7	12	11	20	15	15
128	PSMB7	non-detect(%)	0	0	0	0	0	100
129	PSMB7	Min	6	21	11	12	110	0.5
130	PSMB7	5th %ile	6	21.55	15.5	12	124	0.5
131	PSMB7	20th %ile	6	55.8	25	51.2	270	0.5
132	PSMB7	Median	6	201.5	83	60.5	545	2.5
133	PSMB7	80th %ile	6	206.8	84	64	600	2.5
134	PSMB7	95th %ile	6	208	84.5	66.05	613.9	2.5
135	PSMB7	Max	6	208	85	67	623	2.5
136	PSMB8	Number	7	12	11	20	15	15
137	PSMB8	non-detect(%)	0	0	0	0	0	86.66666667
138	PSMB8	Min	8	15	3.1	10	60	0.5
139	PSMB8	5th %ile	8	15	3.55	10	64.2	0.5
140	PSMB8	20th %ile	8	15.2	5.4	19.2	74.2	0.5
141	PSMB8	Median	8	113.5	80	25	561	2.5
142	PSMB8	80th %ile	8.8	118	83	27.2	656.6	2.5
143	PSMB8	95th %ile	9	123.15	84	44.65	719	23
144	PSMB8	Max	9	127	84	285	719	23

	sites	statistic	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3
145	PSMB12	Number	7	13	11	21	16	16
146	PSMB12	non-detect(%)	0	0	0	0	0	100
147	PSMB12	Min	5	15	5.4	11	84	0.5
148	PSMB12	5th %ile	5	19.8	7.2	12	91.5	0.5
149	PSMB12	20th %ile	5	29	12	21	100	0.5
150	PSMB12	Median	5	260	45	64	395	2.5
151	PSMB12	80th %ile	5.8	287.6	47	68	648	2.5
152	PSMB12	95th %ile	6	295.4	48	70	673	2.5
153	PSMB12	Max	6	299	48	92	682	2.5
154	PSMB13	Number	7	12	11	20	15	15
155	PSMB13	non-detect(%)	0	0	0	0	0	100
156	PSMB13	Min	5	14	77	10	76	0.5
157	PSMB13	5th %ile	5.3	20.05	79	14.75	106.8	0.5
158	PSMB13	20th %ile	6	182	86	52	472	0.5
159	PSMB13	Median	6	214	89	69	650	2.5
160	PSMB13	80th %ile	6	230.4	110	75.2	735	2.5
161	PSMB13	95th %ile	6	232	120	93.45	768.4	2.5
162	PSMB13	Max	6	232	120	140	774	2.5
163	PSMB14	Number	7	13	11	21	16	16
164	PSMB14	non-detect(%)	57.14285714	0	0	0	0	100
165	PSMB14	Min	0.5	130	230	60	170	0.5
166	PSMB14	5th %ile	0.5	136	235	60	257	0.5
167	PSMB14	20th %ile	0.5	152	282	97	500	0.5
168	PSMB14	Median	0.5	400	475	150	526.5	2.5
169	PSMB14	80th %ile	1	616	532	346	550	2.5
170	PSMB14	95th %ile	2.4	638	618.5	630	759.5	2.5
171	PSMB14	Max	3	671	640	788	1340	2.5
172	PSMB1	Number	6	18	12	27	21	22
173	PSMB1	non-detect(%)	0	0	0	0	0	100
174	PSMB1	Min	6	11	55	6	18	0.5
175	PSMB1	5th %ile	6	12.7	56.1	10.6	73	0.5
176	PSMB1	20th %ile	6	80.4	82	58.2	379	0.5
177	PSMB1	Median	6	120	96.5	80	419	2.5
178	PSMB1	80th %ile	6	147.8	107.4	99	530	2.5
179	PSMB1	95th %ile	6.75	154.75	112.8	107	610	2.5
180	PSMB1	Max	7	159	115	110	680	2.5
181	PSMB13	Number	0	2	0	2	2	2
182	PSMB13	non-detect(%)	NA	0	NA	0	0	100
183	PSMB13	Min	Inf	21	Inf	12	87	2.5
184	PSMB13	5th %ile	NA	21	NA	12	87	2.5
185	PSMB13	20th %ile	NA	21	NA	12	87	2.5
186	PSMB13	Median	NA	21	NA	12	87	2.5
187	PSMB13	80th %ile	NA	21	NA	12	87	2.5
188	PSMB13	95th %ile	NA	21	NA	12	87	2.5
189	PSMB13	Max	#NAME?	21	#NAME?	12	87	2.5

	sites	statistic	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
1	ELMB1	Number	6	8
2	ELMB1	non-detect(%)	100	0
3	ELMB1	Min	0.5	561
4	ELMB1	5th %ile	0.5	571.15
5	ELMB1	20th %ile	0.5	590
6	ELMB1	Median	0.5	596
7	ELMB1	80th %ile	0.5	613.6
8	ELMB1	95th %ile	0.5	625.8
9	ELMB1	Max	0.5	630
10	ELMB3	Number	6	6
11	ELMB3	non-detect(%)	100	0
12	ELMB3	Min	0.5	742
13	ELMB3	5th %ile	0.5	750
14	ELMB3	20th %ile	0.5	774
15	ELMB3	Median	0.5	787
16	ELMB3	80th %ile	0.5	811
17	ELMB3	95th %ile	0.5	814
18	ELMB3	Max	0.5	815
19	ELMB2	Number	0	2
20	ELMB2	non-detect(%)	NA	0
21	ELMB2	Min	Inf	540
22	ELMB2	5th %ile	NA	541.5
23	ELMB2	20th %ile	NA	546
24	ELMB2	Median	NA	555
25	ELMB2	80th %ile	NA	564
26	ELMB2	95th %ile	NA	568.5
27	ELMB2	Max	#NAME?	570
28	RDMB1	Number	6	7
29	RDMB1	non-detect(%)	100	0
30	RDMB1	Min	0.5	703
31	RDMB1	5th %ile	0.5	704.8
32	RDMB1	20th %ile	0.5	713.8
33	RDMB1	Median	0.5	733
34	RDMB1	80th %ile	0.5	758
35	RDMB1	95th %ile	0.5	775.4
36	RDMB1	Max	0.5	782
37	RDMB2	Number	5	7
38	RDMB2	non-detect(%)	100	0
39	RDMB2	Min	0.5	460
40	RDMB2	5th %ile	0.5	474.7
41	RDMB2	20th %ile	0.5	511.2
42	RDMB2	Median	0.5	546
43	RDMB2	80th %ile	0.5	549
44	RDMB2	95th %ile	0.5	574.9
45	RDMB2	Max	0.5	586
46	RDMB3	Number	6	6
47	RDMB3	non-detect(%)	100	0
48	RDMB3	Min	0.5	554

	sites	statistic	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
49	RDMB3	5th %ile	0.5	557.75
50	RDMB3	20th %ile	0.5	569
51	RDMB3	Median	0.5	575
52	RDMB3	80th %ile	0.5	623
53	RDMB3	95th %ile	0.5	625.25
54	RDMB3	Max	0.5	626
55	PSMB4	Number	0	2
56	PSMB4	non-detect(%)	NA	0
57	PSMB4	Min	Inf	560
58	PSMB4	5th %ile	NA	560
59	PSMB4	20th %ile	NA	560
60	PSMB4	Median	NA	560
61	PSMB4	80th %ile	NA	560
62	PSMB4	95th %ile	NA	560
63	PSMB4	Max	#NAME?	560
64	PSMB5	Number	1	1
65	PSMB5	non-detect(%)	100	0
66	PSMB5	Min	0.5	387
67	PSMB5	5th %ile	0.5	387
68	PSMB5	20th %ile	0.5	387
69	PSMB5	Median	0.5	387
70	PSMB5	80th %ile	0.5	387
71	PSMB5	95th %ile	0.5	387
72	PSMB5	Max	0.5	387
73	PSMB9	Number	4	7
74	PSMB9	non-detect(%)	100	0
75	PSMB9	Min	0.5	1000
76	PSMB9	5th %ile	0.5	1000
77	PSMB9	20th %ile	0.5	1000
78	PSMB9	Median	0.5	1930
79	PSMB9	80th %ile	0.5	2584
80	PSMB9	95th %ile	0.5	2630
81	PSMB9	Max	0.5	2630
82	PSMB3	Number	0	0
83	PSMB3	non-detect(%)	NA	NA
84	PSMB3	Min	Inf	Inf
85	PSMB3	5th %ile	NA	NA
86	PSMB3	20th %ile	NA	NA
87	PSMB3	Median	NA	NA
88	PSMB3	80th %ile	NA	NA
89	PSMB3	95th %ile	NA	NA
90	PSMB3	Max	#NAME?	#NAME?
91	PSMB11	Number	7	9
92	PSMB11	non-detect(%)	100	11.11111111
93	PSMB11	Min	0.5	2.5
94	PSMB11	5th %ile	0.5	7.1
95	PSMB11	20th %ile	0.5	215.6
96	PSMB11	Median	0.5	372

	sites	statistic	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
97	PSMB11	80th %ile	0.5	383
98	PSMB11	95th %ile	0.5	394.4
99	PSMB11	Max	0.5	402
100	PSMB10	Number	5	8
101	PSMB10	non-detect(%)	100	0
102	PSMB10	Min	0.5	480
103	PSMB10	5th %ile	0.5	550
104	PSMB10	20th %ile	0.5	692
105	PSMB10	Median	0.5	821
106	PSMB10	80th %ile	0.5	942.8
107	PSMB10	95th %ile	0.5	982
108	PSMB10	Max	0.5	982
109	PSMB2	Number	7	10
110	PSMB2	non-detect(%)	100	0
111	PSMB2	Min	0.5	500
112	PSMB2	5th %ile	0.5	522.5
113	PSMB2	20th %ile	0.5	550
114	PSMB2	Median	0.5	628.5
115	PSMB2	80th %ile	0.5	675.8
116	PSMB2	95th %ile	0.5	687
117	PSMB2	Max	0.5	687
118	PSMB6	Number	7	10
119	PSMB6	non-detect(%)	100	0
120	PSMB6	Min	0.5	420
121	PSMB6	5th %ile	0.5	424.5
122	PSMB6	20th %ile	0.5	438
123	PSMB6	Median	0.5	518.5
124	PSMB6	80th %ile	0.5	543
125	PSMB6	95th %ile	0.5	545.2
126	PSMB6	Max	0.5	547
127	PSMB7	Number	7	10
128	PSMB7	non-detect(%)	100	0
129	PSMB7	Min	0.5	290
130	PSMB7	5th %ile	0.5	326
131	PSMB7	20th %ile	0.5	378
132	PSMB7	Median	0.5	547.5
133	PSMB7	80th %ile	0.5	602
134	PSMB7	95th %ile	0.5	617.15
135	PSMB7	Max	0.5	623
136	PSMB8	Number	7	10
137	PSMB8	non-detect(%)	100	0
138	PSMB8	Min	0.5	110
139	PSMB8	5th %ile	0.5	119
140	PSMB8	20th %ile	0.5	138
141	PSMB8	Median	0.5	615
142	PSMB8	80th %ile	0.5	678.8
143	PSMB8	95th %ile	0.5	742
144	PSMB8	Max	0.5	742

	sites	statistic	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
145	PSMB12	Number	7	10
146	PSMB12	non-detect(%)	100	0
147	PSMB12	Min	0.5	150
148	PSMB12	5th %ile	0.5	168
149	PSMB12	20th %ile	0.5	206
150	PSMB12	Median	0.5	647
151	PSMB12	80th %ile	0.5	655.6
152	PSMB12	95th %ile	0.5	676.6
153	PSMB12	Max	0.5	682
154	PSMB13	Number	7	10
155	PSMB13	non-detect(%)	100	0
156	PSMB13	Min	0.5	640
157	PSMB13	5th %ile	0.5	640
158	PSMB13	20th %ile	0.5	648
159	PSMB13	Median	0.5	731.5
160	PSMB13	80th %ile	0.5	741.2
161	PSMB13	95th %ile	0.5	770.4
162	PSMB13	Max	0.5	774
163	PSMB14	Number	7	9
164	PSMB14	non-detect(%)	100	0
165	PSMB14	Min	0.5	286
166	PSMB14	5th %ile	0.5	373.6
167	PSMB14	20th %ile	0.5	514
168	PSMB14	Median	0.5	523
169	PSMB14	80th %ile	0.5	556.4
170	PSMB14	95th %ile	0.5	1030.4
171	PSMB14	Max	0.5	1340
172	PSMB1	Number	7	10
173	PSMB1	non-detect(%)	100	0
174	PSMB1	Min	0.5	379
175	PSMB1	5th %ile	0.5	382.15
176	PSMB1	20th %ile	0.5	386
177	PSMB1	Median	0.5	414.5
178	PSMB1	80th %ile	0.5	464
179	PSMB1	95th %ile	0.5	480
180	PSMB1	Max	0.5	480
181	PSMB13	Number	0	0
182	PSMB13	non-detect(%)	NA	NA
183	PSMB13	Min	Inf	Inf
184	PSMB13	5th %ile	NA	NA
185	PSMB13	20th %ile	NA	NA
186	PSMB13	Median	NA	NA
187	PSMB13	80th %ile	NA	NA
188	PSMB13	95th %ile	NA	NA
189	PSMB13	Max	#NAME?	#NAME?