

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved
1	EL Bores	Number	24	18	18	16	14	63	64	51	50	46	30
2	EL Bores	non-detect(%)	0	0	0	0	0	0	1.5625	0	64	26.08695652	96.66666667
3	EL Bores	Min	0	1044	6.45	522	6.93	250	0	0.11	0.005	0.01	5e-04
4	EL Bores	5th %ile	0	1057.6	6.4925	528	6.9495	971	2.15	0.27	0.005	0.02425	5e-04
5	EL Bores	20th %ile	0	1089.4	6.676	540	7.162	1000	5	0.39	0.005	0.025	5e-04
6	EL Bores	Median	10.79	1541	6.95	773	7.645	1100	14	0.5	0.0215	0.905	5e-04
7	EL Bores	80th %ile	14.128	1893.2	7.416	941	7.946	1200	65.4	1.1	0.025	5.13	0.0015
8	EL Bores	95th %ile	15.914	2108.35	7.5325	1061	8.266	1789	89.55	3.85	0.03	17	0.0015
9	EL Bores	Max	16.09	2218	7.83	1109	8.37	1880	132	4.4	0.097	54.1	0.003
10	RD BORES	Number	23	23	23	20	20	61	62	48	50	47	36
11	RD BORES	non-detect(%)	0	0	0	0	0	0	1.612903	0	68	29.78723404	30.55555556
12	RD BORES	Min	0	15.6	6.71	540	6.98	55	2.5	0.09	0.0025	0.0025	5e-04
13	RD BORES	5th %ile	0	1082.8	6.735	552.35	6.999	900	5	0.477	0.005	0.005	5e-04
14	RD BORES	20th %ile	0	1124.6	6.844	570.2	7.14	960	6	0.662	0.005	0.0142	5e-04
15	RD BORES	Median	9.34	1279	7.04	660	7.745	1160	11.5	0.86	0.0085	0.025	0.0025
16	RD BORES	80th %ile	20.534	1476.8	7.224	754.4	8.18	1300	23	1.16	0.025	1.276	0.013
17	RD BORES	95th %ile	22.974	1868.1	7.586	1328.15	8.2025	1400	46.75	1.665	0.0455	45.31	0.02325
18	RD BORES	Max	23.62	1980	8.54	7753	8.25	1440	79	1.8	0.07	85.2	0.034
19	Four Miles Regolith	Number	10	3	3	2	1	24	27	22	18	15	7
20	Four Miles Regolith	non-detect(%)	0	0	0	0	0	0	0	0	66.66666667	33.33333333	100
21	Four Miles Regolith	Min	0	1454	6.81	727	8.02	1300	0	0.6	0.005	0.01	5e-04
22	Four Miles Regolith	5th %ile	0	1608.6	6.816	766.3	8.02	2522	9.9	0.631	0.005	0.0205	5e-04
23	Four Miles Regolith	20th %ile	0	2072.4	6.834	884.2	8.02	3300	1260	1.14	0.0134	0.025	7e-04
24	Four Miles Regolith	Median	0	3000	6.87	1120	8.02	3600	1600	1.85	0.025	1.3	0.0015
25	Four Miles Regolith	80th %ile	9.324	3015.6	7.548	1355.8	8.02	3940	1900	2	0.025	3.12	0.0015
26	Four Miles Regolith	95th %ile	13.7465	3023.4	7.887	1473.7	8.02	4100	2000	3.34	1.14625	8.774	0.0015
27	Four Miles Regolith	Max	13.85	3026	8	1513	8.02	4200	2300	7.5	7.5	13.8	0.0015
28	SC Regolith	Number	35	48	48	32	25	104	124	87	97	87	56
29	SC Regolith	non-detect(%)	0	0	0	0	0	0	0	0	49.48453608	19.54022989	98.21428571
30	SC Regolith	Min	0	1333	6.24	718	6.85	76	0	0.14	0.005	0.005	5e-04
31	SC Regolith	5th %ile	0	1474.85	6.6035	809.85	6.962	569	27.15	0.803	0.005	0.0213	5e-04
32	SC Regolith	20th %ile	4.984	2314	6.804	1087.6	7.144	1300	196	1.22	0.005	0.025	5e-04
33	SC Regolith	Median	7.83	2600	7.085	1312	7.61	1860	435	2.6	0.02	0.43	5e-04
34	SC Regolith	80th %ile	13.124	2893.2	7.7	1760	7.97	2500	860	4.28	0.025	4.404	0.0015
35	SC Regolith	95th %ile	14.747	6148.35	7.8	3820.45	8.204	3806	1219.5	5.04	3.72	9.521	0.0015
36	SC Regolith	Max	16	8809	8.36	4402	8.26	7900	2260	13	9.2	22.9	0.003
37	Four Miles fractures	Number	32	54	54	35	28	82	104	66	86	84	60
38	Four Miles fractures	non-detect(%)	0	0	0	0	0	0	0	0	25.58139535	14.28571429	93.33333333
39	Four Miles fractures	Min	2.94	1541	6.33	771	6.95	160	6	0.14	0.005	0.016	5e-04
40	Four Miles fractures	5th %ile	3.4085	1584.55	6.6025	790	7.101	210	10	0.18	0.005	0.025	5e-04
41	Four Miles fractures	20th %ile	5.06	1600	6.91	814.8	7.332	1420	114.2	0.62	0.006	0.0364	5e-04
42	Four Miles fractures	Median	7.745	1899.5	7.315	1007	7.55	2000	420	2.1	0.02	0.41	5e-04
43	Four Miles fractures	80th %ile	10.686	3600	7.9	2078.8	8.024	3584	1600	3.5	0.3	2.76	0.0015
44	Four Miles fractures	95th %ile	13.4195	6738.8	8.0105	3816.1	8.183	6009.5	3255	6.475	4.675	10.88	0.001525
45	Four Miles fractures	Max	16.08	8948	8.29	4477	8.2	7540	4230	6.6	21	24.1	0.003
46	SC Fractures	Number	24	44	44	26	21	58	78	46	67	60	45
47	SC Fractures	non-detect(%)	0	0	0	0	0	0	0	4.347826	32.8358209	13.33333333	68.88888889
48	SC Fractures	Min	2.4	1200	6.51	621	7.09	130	2.7	0.05	0.005	0.012	5e-04

	sites	statistic	SWL	Field EC	Field pH	Field TDS	Lab pH	Lab EC	Sulfate	Fluoride	Aluminium Dissolved	Aluminium Total	Antimony Dissolved
49	SC Fractures	5th %ile	4.108	1260.5	6.756	632	7.16	167	3	0.1325	0.005	0.025	5e-04
50	SC Fractures	20th %ile	4.906	1300	7	654	7.27	476	48.6	0.2	0.005	0.1048	5e-04
51	SC Fractures	Median	7.56	1600	7.205	811	7.48	1370	155	1.6	0.014	0.9	0.001
52	SC Fractures	80th %ile	9.92	2514.4	7.8	1165	7.94	2056	624.4	2.7	0.1012	3.926	0.0015
53	SC Fractures	95th %ile	12.424	2988.75	7.9	1339	8.35	2564.5	850.45	4.275	2.25	8.9	0.0048
54	SC Fractures	Max	12.7	3000	8	1464	8.35	5880	980	8.7	8.4	17.6	0.016

	sites	statistic	Antimony Total	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved
1	EL Bores	Number	28	50	47	22	22	49	45	34
2	EL Bores	non-detect(%)	89.28571429	24	19.14893617	90.90909091	100	95.91836735	68.88888889	76.47058824
3	EL Bores	Min	5e-04	0.001	0	5e-04	5e-04	5e-05	5e-05	5e-04
4	EL Bores	5th %ile	5e-04	0.0015	8e-04	5e-04	5e-04	5e-05	5e-05	5e-04
5	EL Bores	20th %ile	5e-04	0.0015	0.0018	5e-04	5e-04	5e-05	5e-05	5e-04
6	EL Bores	Median	5e-04	0.004	0.006	5e-04	5e-04	5e-05	5e-05	5e-04
7	EL Bores	80th %ile	0.0015	0.016	0.0142	5e-04	5e-04	5e-05	1e-04	0.001
8	EL Bores	95th %ile	0.001825	0.023	0.0264	598.500025	5e-04	5e-05	3e-04	0.0025
9	EL Bores	Max	0.003	0.024	21	811	5e-04	2e-04	4e-04	0.003
10	RD BORES	Number	34	50	48	29	29	49	48	37
11	RD BORES	non-detect(%)	14.70588235	0	2.083333333	89.65517241	79.31034483	69.3877551	29.16666667	72.97297297
12	RD BORES	Min	5e-04	0.022	0.0015	5e-04	5e-04	5e-05	5e-05	5e-04
13	RD BORES	5th %ile	5e-04	0.02745	0.0071	5e-04	5e-04	5e-05	5e-05	5e-04
14	RD BORES	20th %ile	0.0018	0.0356	0.0358	5e-04	5e-04	5e-05	5e-05	5e-04
15	RD BORES	Median	0.007	0.069	0.182	5e-04	5e-04	5e-05	2e-04	5e-04
16	RD BORES	80th %ile	0.014	0.49	0.448	5e-04	0.0007	2e-04	0.00212	0.0022
17	RD BORES	95th %ile	0.0237	0.58	0.6095	610	0.0026	0.00224	0.003525	0.005
18	RD BORES	Max	0.034	0.62	0.62	782	0.003	0.0042	0.0043	0.006
19	Four Miles Regolith	Number	6	18	15	3	2	18	15	10
20	Four Miles Regolith	non-detect(%)	100	27.77777778	20	100	100	61.11111111	26.66666667	0
21	Four Miles Regolith	Min	5e-04	0.0015	0.0025	5e-04	5e-04	5e-05	5e-05	0.003
22	Four Miles Regolith	5th %ile	5e-04	0.0015	0.00285	5e-04	5e-04	5e-05	5e-05	0.00345
23	Four Miles Regolith	20th %ile	5e-04	0.0015	0.003	5e-04	5e-04	5e-05	1e-04	0.0136
24	Four Miles Regolith	Median	0.0015	0.0035	0.007	5e-04	5e-04	5e-05	1e-04	0.0605
25	Four Miles Regolith	80th %ile	0.0015	0.005	0.0124	5e-04	5e-04	0.00016	2e-04	0.0754
26	Four Miles Regolith	95th %ile	0.0015	0.0128	0.0353	5e-04	5e-04	0.000215	0.00029	0.10415
27	Four Miles Regolith	Max	0.0015	0.04	0.057	5e-04	5e-04	3e-04	5e-04	0.11
28	SC Regolith	Number	52	99	87	50	35	97	87	80
29	SC Regolith	non-detect(%)	94.23076923	31.31313131	19.54022989	82	94.28571429	64.94845361	49.42528736	11.25
30	SC Regolith	Min	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04
31	SC Regolith	5th %ile	5e-04	5e-04	0.0015	5e-04	5e-04	5e-05	5e-05	5e-04
32	SC Regolith	20th %ile	5e-04	0.0015	0.002	5e-04	5e-04	5e-05	5e-05	0.002
33	SC Regolith	Median	5e-04	0.003	0.004	5e-04	5e-04	5e-05	1e-04	0.006
34	SC Regolith	80th %ile	0.0015	0.006	0.0114	5e-04	5e-04	0.00028	0.00028	0.0274
35	SC Regolith	95th %ile	0.0015	0.019	0.0436	225.95	0.00065	5e-04	0.00067	0.03905
36	SC Regolith	Max	0.0015	0.092	0.065	848	0.001	0.001	0.0033	0.075
37	Four Miles fractures	Number	56	86	84	59	40	86	85	87
38	Four Miles fractures	non-detect(%)	96.42857143	22.09302326	23.80952381	83.05084746	97.5	54.65116279	40	20.68965517
39	Four Miles fractures	Min	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04
40	Four Miles fractures	5th %ile	5e-04	5e-04	0.001075	5e-04	5e-04	5e-05	5e-05	5e-04
41	Four Miles fractures	20th %ile	5e-04	0.0015	0.0015	5e-04	5e-04	5e-05	5e-05	0.001
42	Four Miles fractures	Median	5e-04	0.006	0.006	5e-04	5e-04	5e-05	1e-04	0.003
43	Four Miles fractures	80th %ile	0.0015	0.01	0.0094	5e-04	5e-04	0.0025	0.00098	0.0174
44	Four Miles fractures	95th %ile	0.0015	0.023	0.0277	399.7	5e-04	0.34	0.28252	0.1366
45	Four Miles fractures	Max	0.006	0.068	0.091	774	0.001	1.3	0.4	0.21
46	SC Fractures	Number	42	69	61	48	30	68	61	69
47	SC Fractures	non-detect(%)	57.14285714	13.04347826	19.67213115	79.16666667	90	61.76470588	31.14754098	14.49275362
48	SC Fractures	Min	5e-04	0.0015	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04

	sites	statistic	Antimony Total	Arsenic Dissolved	Arsenic Total	Bismuth Dissolved	Bismuth Total	Cadmium Dissolved	Cadmium Total	Cobalt Dissolved
49	SC Fractures	5th %ile	5e-04	0.0015	0.0015	5e-04	5e-04	5e-05	5e-05	5e-04
50	SC Fractures	20th %ile	5e-04	0.0036	0.002	5e-04	5e-04	5e-05	5e-05	0.0025
51	SC Fractures	Median	0.0015	0.013	0.014	5e-04	5e-04	5e-05	1e-04	0.007
52	SC Fractures	80th %ile	0.002	0.134	0.099	0.00062	5e-04	2e-04	6e-04	0.059
53	SC Fractures	95th %ile	0.00495	0.3256	0.405	348.205	0.001	0.00063	0.0023	0.15
54	SC Fractures	Max	0.008	0.45	0.67	663	0.003	8e-04	0.0049	0.18

	sites	statistic	Cobalt Total	Copper Dissolved	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total
1	EL Bores	Number	34	49	46	50	46	34	56	34	34
2	EL Bores	non-detect(%)	29.41176471	95.91836735	28.26086957	100	32.60869565	94.11764706	89.28571429	76.47058824	8.823529412
3	EL Bores	Min	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	5e-04
4	EL Bores	5th %ile	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.001
5	EL Bores	20th %ile	8e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.0016
6	EL Bores	Median	0.0035	5e-04	0.0025	5e-04	0.002	5e-05	5e-05	5e-04	0.004
7	EL Bores	80th %ile	0.0084	5e-04	0.008	5e-04	0.006	5e-05	1e-04	0.001	0.0094
8	EL Bores	95th %ile	0.0279	5e-04	0.02025	5e-04	0.026	0.000135	0.000225	0.006	0.04135
9	EL Bores	Max	0.071	0.003	0.097	5e-04	0.032	6e-04	4e-04	0.017	0.11
10	RD BORES	Number	36	49	48	46	48	38	55	37	36
11	RD BORES	non-detect(%)	55.55555556	40.81632653	27.08333333	100	52.08333333	94.73684211	83.63636364	45.94594595	41.66666667
12	RD BORES	Min	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	5e-04
13	RD BORES	5th %ile	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	5e-04
14	RD BORES	20th %ile	5e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	5e-04
15	RD BORES	Median	5e-04	0.001	0.0035	5e-04	5e-04	5e-05	5e-05	0.001	0.002
16	RD BORES	80th %ile	0.047	0.004	0.0694	5e-04	0.0026	5e-05	1e-04	0.003	0.064
17	RD BORES	95th %ile	0.12575	0.0094	0.683	5e-04	0.041	0.0001625	0.00033	0.0062	0.174
18	RD BORES	Max	0.209	0.023	1.33	5e-04	0.072	0.0016	7e-04	0.015	0.234
19	Four Miles Regolith	Number	9	18	15	18	15	10	19	10	9
20	Four Miles Regolith	non-detect(%)	0	61.11111111	33.33333333	77.77777778	26.66666667	90	78.94736842	10	0
21	Four Miles Regolith	Min	0.012	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.001
22	Four Miles Regolith	5th %ile	0.0156	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	0.000725	0.0018
23	Four Miles Regolith	20th %ile	0.0408	5e-04	0.001	5e-04	0.001	5e-05	5e-05	0.001	0.003
24	Four Miles Regolith	Median	0.07	5e-04	0.003	5e-04	0.0025	5e-05	1e-04	0.0015	0.004
25	Four Miles Regolith	80th %ile	0.0782	0.0016	0.0054	0.0008	0.0072	6e-05	1e-04	0.0042	0.0106
26	Four Miles Regolith	95th %ile	0.0914	0.0074	0.0177	0.0067	0.0259	0.000265	0.00041	0.01105	0.0202
27	Four Miles Regolith	Max	0.097	0.021	0.031	0.039	0.056	4e-04	5e-04	0.016	0.025
28	SC Regolith	Number	69	99	85	99	86	79	95	81	69
29	SC Regolith	non-detect(%)	8.695652174	54.54545455	22.35294118	76.76767677	26.74418605	100	94.73684211	33.33333333	14.49275362
30	SC Regolith	Min	5e-04	5e-04	5e-04	5e-04	5e-04	2.5e-05	2.5e-05	5e-04	5e-04
31	SC Regolith	5th %ile	0.0014	5e-04	5e-04	5e-04	5e-04	4.75e-05	5e-05	5e-04	5e-04
32	SC Regolith	20th %ile	0.0023	5e-04	9e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.001
33	SC Regolith	Median	0.012	5e-04	0.002	5e-04	0.003	5e-05	5e-05	0.002	0.004
34	SC Regolith	80th %ile	0.0314	0.0034	0.005	0.001	0.011	5e-05	1e-04	0.006	0.008
35	SC Regolith	95th %ile	0.047	0.017	0.021	0.0161	0.029	5.499999999999997e-05	1e-04	0.015	0.0266
36	SC Regolith	Max	0.07	0.075	0.068	0.068	0.28	1e-04	2e-04	0.034	0.08
37	Four Miles fractures	Number	73	86	84	85	83	81	81	87	72
38	Four Miles fractures	non-detect(%)	13.69863014	51.1627907	26.19047619	60	18.07228916	93.82716049	85.18518519	27.5862069	13.88888889
39	Four Miles fractures	Min	5e-04	5e-04	5e-04	5e-04	5e-04	2.5e-05	2.5e-05	5e-04	5e-04
40	Four Miles fractures	5th %ile	0.001	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.000775
41	Four Miles fractures	20th %ile	0.0025	5e-04	5e-04	5e-04	0.001	5e-05	5e-05	5e-04	0.001
42	Four Miles fractures	Median	0.004	5e-04	0.002	5e-04	0.004	5e-05	5e-05	0.002	0.003
43	Four Miles fractures	80th %ile	0.027	0.004	0.0136	0.0022	0.01	5e-05	1e-04	0.004	0.009
44	Four Miles fractures	95th %ile	0.164	0.18675	0.22345	0.164	0.1726	6e-05	5e-04	0.0869	0.1245
45	Four Miles fractures	Max	0.21	0.33	0.38	0.31	0.37	0.00019	0.003	0.17	0.18
46	SC Fractures	Number	53	67	60	67	61	63	57	68	53
47	SC Fractures	non-detect(%)	11.32075472	50.74626866	8.333333333	71.64179104	13.1147541	100	91.22807018	14.70588235	1.886792453
48	SC Fractures	Min	5e-04	5e-04	5e-04	5e-04	5e-04	2.5e-05	2.5e-05	5e-04	0.001

	sites	statistic	Cobalt Total	Copper Dissolved	Copper Total	Lead Dissolved	Lead Total	Mercury Dissolved	Mercury Total	Nickel Dissolved	Nickel Total
49	SC Fractures	5th %ile	8e-04	5e-04	5e-04	5e-04	5e-04	5e-05	5e-05	5e-04	0.001
50	SC Fractures	20th %ile	0.0022	5e-04	0.002	5e-04	0.001	5e-05	5e-05	0.001	0.002
51	SC Fractures	Median	0.013	5e-04	0.005	5e-04	0.008	5e-05	5e-05	0.002	0.005
52	SC Fractures	80th %ile	0.0812	0.0028	0.0164	0.002	0.029	5e-05	5e-05	0.005	0.011
53	SC Fractures	95th %ile	0.15	0.0144	0.086	0.0154	0.274	5e-05	2e-04	0.01165	0.0206
54	SC Fractures	Max	0.17	0.031	0.585	0.034	0.344	5e-05	4e-04	0.052	0.313

	sites	statistic	Selenium Dissolved	Selenium Total	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total
1	EL Bores	Number	28	28	24	30	32	38	50	46
2	EL Bores	non-detect(%)	100	96.42857143	95.83333333	60	100	94.73684	36	10.86957
3	EL Bores	Min	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
4	EL Bores	5th %ile	0.0015	0.0015	5e-06	1e-05	5e-04	5e-04	0.0025	0.0025
5	EL Bores	20th %ile	0.0029	0.0038	5e-06	4.8e-05	5e-04	5e-04	0.0025	0.009
6	EL Bores	Median	0.005	0.005	5e-06	5e-04	5e-04	5e-04	0.009	0.023
7	EL Bores	80th %ile	0.005	0.005	5e-04	5e-04	0.0025	0.0166	0.024	0.055
8	EL Bores	95th %ile	0.005	0.005	0.004325	0.003875	0.012625	0.025	0.03365	0.07925
9	EL Bores	Max	0.005	0.005	0.005	0.36	0.025	0.025	0.05	0.265
10	RD BORES	Number	34	34	29	33	35	39	49	47
11	RD BORES	non-detect(%)	97.05882353	97.05882353	100	66.66666667	100	97.4359	40.81632653	12.76596
12	RD BORES	Min	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
13	RD BORES	5th %ile	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
14	RD BORES	20th %ile	0.005	0.005	5e-06	5e-06	5e-04	5e-04	0.0025	0.006
15	RD BORES	Median	0.005	0.005	5e-06	5e-04	5e-04	5e-04	0.009	0.018
16	RD BORES	80th %ile	0.005	0.005	0.000203	0.002368	5e-04	0.0025	0.0258	0.074
17	RD BORES	95th %ile	0.005	0.005	0.005	0.007	0.0025	0.025	0.1028	0.3659
18	RD BORES	Max	0.005	0.005	0.005	0.32	0.0025	0.025	0.24	0.617
19	Four Miles Regolith	Number	7	6	5	7	9	11	18	15
20	Four Miles Regolith	non-detect(%)	85.71428571	100	100	85.71428571	100	100	16.66666667	6.666667
21	Four Miles Regolith	Min	0.0015	0.0015	5e-06	5e-04	5e-04	5e-04	0.0025	0.0025
22	Four Miles Regolith	5th %ile	0.0015	0.0015	0.000104	5e-04	5e-04	5e-04	0.0025	0.00565
23	Four Miles Regolith	20th %ile	0.0015	0.0015	0.000401	5e-04	5e-04	0.0025	0.0058	0.0138
24	Four Miles Regolith	Median	0.003	0.0015	5e-04	5e-04	0.0025	0.0025	0.018	0.031
25	Four Miles Regolith	80th %ile	0.005	0.005	0.0014	0.0025	0.0115	0.025	0.0304	0.0452
26	Four Miles Regolith	95th %ile	0.005	0.005	0.0041	0.11975	0.025	0.025	0.1245	0.1252
27	Four Miles Regolith	Max	0.005	0.005	0.005	0.17	0.025	0.025	0.15	0.17
28	SC Regolith	Number	67	53	61	57	79	76	98	86
29	SC Regolith	non-detect(%)	89.55223881	83.01886792	86.8852459	64.9122807	92.40506329	89.47368	15.30612245	11.62791
30	SC Regolith	Min	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
31	SC Regolith	5th %ile	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
32	SC Regolith	20th %ile	0.0032	0.003	5e-06	3.2e-05	5e-04	5e-04	0.007	0.008
33	SC Regolith	Median	0.005	0.005	2e-05	5e-04	5e-04	0.0025	0.0145	0.018
34	SC Regolith	80th %ile	0.005	0.005	5e-04	5e-04	0.006	0.025	0.0336	0.041
35	SC Regolith	95th %ile	0.005	0.005	0.025	0.021	0.025	0.025	0.0853	0.11925
36	SC Regolith	Max	0.007	0.025	0.025	0.58	0.025	0.025	0.16	0.167
37	Four Miles fractures	Number	75	56	69	64	86	81	87	85
38	Four Miles fractures	non-detect(%)	94.66666667	89.28571429	95.65217391	67.1875	73.25581395	86.41975	21.83908046	8.235294
39	Four Miles fractures	Min	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
40	Four Miles fractures	5th %ile	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025
41	Four Miles fractures	20th %ile	0.005	0.003	5e-06	2e-05	5e-04	5e-04	0.0025	0.01
42	Four Miles fractures	Median	0.005	0.005	5e-06	5e-04	0.001	0.0025	0.019	0.027
43	Four Miles fractures	80th %ile	0.005	0.005	5e-04	5e-04	0.0025	0.025	0.1108	0.1128
44	Four Miles fractures	95th %ile	0.0068	0.0115	0.017	0.025	0.025	0.025	7.66	8.0766
45	Four Miles fractures	Max	0.014	0.015	0.025	0.67	0.025	0.025	12	13
46	SC Fractures	Number	60	42	56	45	69	58	68	61
47	SC Fractures	non-detect(%)	96.66666667	92.85714286	89.28571429	57.77777778	89.85507246	79.31034	19.11764706	3.278689
48	SC Fractures	Min	0.0015	0.0015	5e-06	5e-06	5e-04	5e-04	0.0025	0.0025

	sites	statistic	Selenium Dissolved	Selenium Total	Silver Dissolved	Silver Total	Tin Dissolved	Tin Total	Zinc Dissolved	Zinc Total
49	SC Fractures	5th %ile	0.0015	0.0015	5e-06	3e-05	5e-04	5e-04	0.0025	0.007
50	SC Fractures	20th %ile	0.005	0.0022	5e-06	6.4e-05	5e-04	5e-04	0.0035	0.014
51	SC Fractures	Median	0.005	0.005	0.00035	5e-04	5e-04	0.00225	0.0135	0.029
52	SC Fractures	80th %ile	0.005	0.005	5e-04	5e-04	0.0027	0.025	0.0308	0.071
53	SC Fractures	95th %ile	0.005	0.005	0.025	0.025	0.025	0.025	0.0853	0.218
54	SC Fractures	Max	0.008	0.007	0.025	1.26	0.025	0.025	0.191	0.395

	sites	statistic	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride
1	EL Bores	Number	30	22	40	12	32	23	41
2	EL Bores	non-detect(%)	96.66666667	100	0	0	0	0	0
3	EL Bores	Min	0.002	0.002	22	2	9.7	27	12
4	EL Bores	5th %ile	0.002	0.002	36.95	2	29.55	27.1	14
5	EL Bores	20th %ile	0.002	0.002	57.2	2	34	29.8	15
6	EL Bores	Median	0.002	0.002	82.5	3.5	49	46	22
7	EL Bores	80th %ile	0.002	0.002	130	4	138	57	98
8	EL Bores	95th %ile	0.002275	0.002	140	5	396.15	61	104
9	EL Bores	Max	0.015	0.002	140	5	422	63	78000
10	RD BORES	Number	32	29	38	17	33	26	44
11	RD BORES	non-detect(%)	100	100	0	0	0	0	0
12	RD BORES	Min	0.002	0.002	0.63	2	4.2	54	5
13	RD BORES	5th %ile	0.002	0.002	50.35	2	34.6	56	11.15
14	RD BORES	20th %ile	0.002	0.002	83	3	42	63	15.6
15	RD BORES	Median	0.002	0.002	91	3	66	79	23.5
16	RD BORES	80th %ile	0.002	0.002	100	6	99.4	99	50
17	RD BORES	95th %ile	0.002	0.002	110.65	7.2	107.6	108	120.85
18	RD BORES	Max	0.002	0.002	120	8	112	113	30000
19	Four Miles Regolith	Number	23	3	15	0	10	5	13
20	Four Miles Regolith	non-detect(%)	91.30434783	100	0	NA	0	0	0
21	Four Miles Regolith	Min	0.002	0.002	180	Inf	130	260	18
22	Four Miles Regolith	5th %ile	0.002	0.002	243	NA	134.5	262	21.6
23	Four Miles Regolith	20th %ile	0.002	0.002	298	NA	148	268	89
24	Four Miles Regolith	Median	0.002	0.002	340	NA	150	280	130
25	Four Miles Regolith	80th %ile	0.002	0.002	360	NA	174	314	136
26	Four Miles Regolith	95th %ile	0.00475	0.002	372	NA	393.5	326	156
27	Four Miles Regolith	Max	0.005	0.002	400	#NAME?	560	330	180
28	SC Regolith	Number	118	51	77	23	60	43	86
29	SC Regolith	non-detect(%)	99.15254237	100	0	0	0	0	0
30	SC Regolith	Min	0.002	0.002	3.4	4	11	25	6
31	SC Regolith	5th %ile	0.002	0.002	22.8	5	50.35	48.3	16
32	SC Regolith	20th %ile	0.002	0.002	53.4	5.4	95.2	63.8	35
33	SC Regolith	Median	0.002	0.002	117	7	149.5	96	66
34	SC Regolith	80th %ile	0.002	0.002	174.8	13.2	326	132.2	99
35	SC Regolith	95th %ile	0.0025	0.002	281	42.6	1469	279	283.5
36	SC Regolith	Max	0.005	0.002	294	43	1650	284	54000
37	Four Miles fractures	Number	104	59	70	28	52	44	80
38	Four Miles fractures	non-detect(%)	100	100	0	14.28571429	0	0	0
39	Four Miles fractures	Min	0.002	0.002	15	0.5	14	5.4	4
40	Four Miles fractures	5th %ile	0.002	0.002	18	0.5	18.75	12.3	5
41	Four Miles fractures	20th %ile	0.002	0.002	31	1.8	132	47.6	12.8
42	Four Miles fractures	Median	0.002	0.002	110	5	246	114	66
43	Four Miles fractures	80th %ile	0.002	0.002	222.4	6	510	256.8	112
44	Four Miles fractures	95th %ile	0.002	0.002	402	6	616	530.95	382.35
45	Four Miles fractures	Max	0.002	0.002	501	12	671	640	5000
46	SC Fractures	Number	77	47	49	21	37	33	61
47	SC Fractures	non-detect(%)	100	87.23404255	0	0	0	0	0
48	SC Fractures	Min	0.002	0.002	11	6	15	3.1	10

	sites	statistic	Weak Acid Dissociable Cyanide	Free Cyanide	Calcium Dissolved	Potassium Dissolved	Sodium Dissolved	Magnesium Dissolved	Chloride
49	SC Fractures	5th %ile	0.002	0.002	14.8	6	15	4.84	12
50	SC Fractures	20th %ile	0.002	0.002	27.6	6	42.8	27.4	22
51	SC Fractures	Median	0.002	0.002	70	6	120	84	59
52	SC Fractures	80th %ile	0.002	0.002	134	8	203	108.2	110
53	SC Fractures	95th %ile	0.002	0.0504	201.2	9	208.8	127	190
54	SC Fractures	Max	0.002	0.061	204	9	249	128	285

	sites	statistic	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
1	EL Bores	Number	38	38	12	16
2	EL Bores	non-detect(%)	0	100	100	0
3	EL Bores	Min	130	0.5	0.5	540
4	EL Bores	5th %ile	557.85	0.5	0.5	555.75
5	EL Bores	20th %ile	590	0.5	0.5	590
6	EL Bores	Median	610	2.5	0.5	612.5
7	EL Bores	80th %ile	725.2	2.5	0.5	774
8	EL Bores	95th %ile	842.75	2.5	0.5	812
9	EL Bores	Max	1200	2.5	0.5	815
10	RD BORES	Number	36	36	17	20
11	RD BORES	non-detect(%)	0	100	100	0
12	RD BORES	Min	10	0.5	0.5	460
13	RD BORES	5th %ile	496.75	0.5	0.5	506.55
14	RD BORES	20th %ile	550	0.5	0.5	548.4
15	RD BORES	Median	600	2.5	0.5	580.5
16	RD BORES	80th %ile	750	2.5	0.5	733
17	RD BORES	95th %ile	880	2.5	0.5	761.1
18	RD BORES	Max	1200	2.5	0.5	782
19	Four Miles Regolith	Number	13	13	0	2
20	Four Miles Regolith	non-detect(%)	0	100	NA	0
21	Four Miles Regolith	Min	540	2.5	Inf	560
22	Four Miles Regolith	5th %ile	552	2.5	NA	560
23	Four Miles Regolith	20th %ile	560	2.5	NA	560
24	Four Miles Regolith	Median	570	2.5	NA	560
25	Four Miles Regolith	80th %ile	596	2.5	NA	560
26	Four Miles Regolith	95th %ile	1864	2.5	NA	560
27	Four Miles Regolith	Max	3700	2.5	#NAME?	560
28	SC Regolith	Number	72	73	24	36
29	SC Regolith	non-detect(%)	0	98.63013699	100	0
30	SC Regolith	Min	18	0.5	0.5	379
31	SC Regolith	5th %ile	176.5	0.5	0.5	386
32	SC Regolith	20th %ile	381.2	0.5	0.5	419
33	SC Regolith	Median	525	2.5	0.5	652
34	SC Regolith	80th %ile	718	2.5	0.5	982
35	SC Regolith	95th %ile	1803.5	2.5	0.5	2457.5
36	SC Regolith	Max	2630	32	0.5	2630
37	Four Miles fractures	Number	64	64	28	38
38	Four Miles fractures	non-detect(%)	3.125	100	100	2.631578947
39	Four Miles fractures	Min	2.5	0.5	0.5	2.5
40	Four Miles fractures	5th %ile	76.6	0.5	0.5	129.6
41	Four Miles fractures	20th %ile	146	0.5	0.5	372
42	Four Miles fractures	Median	521.5	2.5	0.5	558
43	Four Miles fractures	80th %ile	648.8	2.5	0.5	680.4
44	Four Miles fractures	95th %ile	761.35	2.5	0.5	767.2
45	Four Miles fractures	Max	1340	2.5	0.5	1340
46	SC Fractures	Number	46	46	21	30
47	SC Fractures	non-detect(%)	0	95.65217391	100	0
48	SC Fractures	Min	60	0.5	0.5	110

	sites	statistic	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3	Hydroxide Alkalinity as CaCO3	Total Alkalinity as CaCO3
49	SC Fractures	5th %ile	72	0.5	0.5	134.5
50	SC Fractures	20th %ile	140	0.5	0.5	412
51	SC Fractures	Median	495.5	2.5	0.5	544
52	SC Fractures	80th %ile	600	2.5	0.5	612.6
53	SC Fractures	95th %ile	661	2.5	0.5	706.45
54	SC Fractures	Max	719	23	0.5	742